



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] RE: Notice of Public Hearing - File MOD0007-24 - Private Community Facility and RV Park/Campground (Modification to CUP0017-23)

1 message

DEQ Comments <deqcomments@deq.idaho.gov>

Wed, Mar 26, 2025 at 8:14 AM

To: Bonner County Planning Department <planning@bonnercountyid.gov>

Good Morning,

The proposed project may constitute a public water system if water is accessible through yard hydrants or other means. The applicant must contact DEQ to determine whether public water system requirements need to be incorporated into the project. Please contact Katy Baker-Casile at 208-666-4640 or katy.baker-casile@deq.idaho.gov

If you have any questions about the comments this project has received please contact:

- Katy Baker-Casile for engineering and wastewater.
- Anna Moody for drinking water.
- Shawn Sweetapple for air quality.
- Kevin Aardahl for remediation or RCRA.
- Robert Steed for surface water and setback requirements.

Thank you-

Idaho Department of Environmental Quality
2110 Ironwood Parkway, Coeur d'Alene, Idaho 83814
Office Line: 208.769.1422

www.deq.idaho.gov**Our mission:** To protect human health and the quality of Idaho's air, land, and water.**From:** Bonner County Planning Department <planning@bonnercountyid.gov>**Sent:** Tuesday, March 18, 2025 10:59 AM**To:** Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Assessors Office Group <assessorsgroup@bonnercountyid.gov>; Avista Copr - Jay West <jay.west@avistacorp.com>; Bay Drive Recreation District <kirbymc45@gmail.com>; Bayview Water & Sewer <bwsd637@gmail.com>; BC Airport Manager Dave Schuck <dave.schuck@bonnercountyid.gov>; BC EMS Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Bonner Sheriff <bonnersheriff@bonnerso.org>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quaylelanduseconsulting@gmail.com>; City of Clark Fork <city@clarkforkidaho.org>; City of Dover <cityclerk@cityofdoveridaho.org>; City of East Hope <easthope.city@gmail.com>; City of Hope

<hopecityclerk@gmail.com>; City of Kootenai - Ronda Whittaker <cityclerk@cityofkootenai.org>; City of Oldtown <cityofoldtown@hotmail.com>; City of Ponderay KayLeigh Miller <klmiller@ponderay.org>; City of Priest River <layers@priestriver-id.gov>; City of Sandpoint <cityplanning@sandpointidaho.gov>; cityclerk@spiritlakeid.gov; Coolin Sewer <coolinsewer@gmail.com>; Coolin-Cavanaugh Bay Fire District <coolinfirechief@gmail.com>; DEQ Comments <deqcomments@deq.idaho.gov>; Drainage District #7 Kim Hoodenpyle <kjh5345@gmail.com>; East Bonner Library <vanessa@ebonnerlibrary.org>; East Priest Lake Fire Chief Tom Renzi <epplfdchief@gmail.com>; Ellisport Bay Sewer District <clerk@ebsewerdistrict.com>; Facilities Director LPOSD #84 <matt.diel@lposd.org>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Granite Reeder Sewer District <granitereeder@gmail.com>; Dan Everhart <Dan.Everhart@ishs.idaho.gov>; Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>; Mike Ahmer <mahmer@idl.idaho.gov>; IDL - Nav. Waters Ryan Zandhuisen <RZandhuisen@idl.idaho.gov>; IDL - Pend Oreille Lake Supervisory <esjoquist@idl.idaho.gov>; dbrown@idl.idaho.gov; IDWR Chase Bell <chase.bell@idwr.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; ITD <D1Permits@itd.idaho.gov>; Jack Schenck Vyve/Northland Cable <Jack.schenck@vyvebb.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kootenai Ponderay Sewer District <CJohnson@kootenaiponderaysewerdistrict.org>; Laclede Water District <LWDistrict@frontier.com>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lakeland Joint School District #272 Jessica Grantham <jessica.grantham@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; North of the Narrows Fire Dept <Huckbay2501@gmail.com>; Northern Lights - Kristin Mettke <kristin.mettke@nli.coop>; Northside Fire District - Karen Quenell <kquenell@northsidefire.org>; Outlet Bay Sewer District <outletbaysewer@gmail.com>; Pend Orielle Hospital District <kim.kichenmaster@bonnergeneral.org>; PHD <EHApplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Priest Lake Translator District - Frankie Dunn <Frankiejedunn@hotmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ruen Yeager <planning@ruenyeager.com>; Sagle Valley Water & Sewer District <saglewatersewer@gmail.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; joekren@sd83.org; School District 84 Transportation - James Koehler <james.koehler@lposd.org>; Schweitzer Fire, Spencer Newton <firedistrict@msn.com>; Selkirk Association of Realtors Danielle <danielle@selkirkaor.com>; Selkirk Fire Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Selkirk Recreation District <selgar@mac.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Spirit Lake Fire Dept. (Debbie Carpenter) <chief@spiritlakefire.com>; Superintendent No. 84 Becky Meyer <becky.meyer@lposd.org>; Superintendent School Dist 84 <kelly.fisher@lposd.org>; Syringa Heights Water <allwater49@outlook.com>; Timberlake Fire <kwright@timberlakefire.com>; Trestle Creek Sewer District Janice Best <janicesb@televar.com>; US Fish & Wildlife Services - Christy Johnson Hughes <FW1idahoconsultationrequests@fws.gov>; West Bonner Library <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>; West Priest Lake Fire Josh Gilbert <WPLFD.Chief@gmail.com>

Subject: Notice of Public Hearing - File MOD0007-24 - Private Community Facility and RV Park/Campground (Modification to CUP0017-23)

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Dear Agencies,

The referenced application has been submitted to the Bonner County Planning Department for processing. We kindly ask that you review the application in relation to your agency's expertise and provide any recommended conditions of approval along with the relevant supporting code sections. For additional details, please refer to the attached documents.

Thank you for your attention to this matter.

Best regards,



BONNER COUNTY
IDAHO

Jessica Montgomery, M.S.

Hearing Coordinator, Department of Planning

jessica.montgomery@bonnercountyid.gov

(208) 265-1458 ext. 1277



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] RE: Notice of Public Hearing - File MOD0007-24 - Private Community Facility and RV Park/Campground (Modification to CUP0017-23)

1 message

Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>

Wed, Apr 2, 2025 at 9:47 AM

To: Bonner County Planning Department <planning@bonnercountyid.gov>

Hi Jessica,

The Idaho Department of Fish and Game does not have any comments to submit for this application.

Thank you for the opportunity to review and comment,

Merritt Horsmon

Regional Technical Assistance Manager

Panhandle Region

2885 W. Kathleen Ave.

Coeur d'Alene, ID 83815

208.769.1414 office

208.251.4509 mobile

merritt.horsmon@idfg.idaho.gov**From:** Bonner County Planning Department <planning@bonnercountyid.gov>**Sent:** Tuesday, March 18, 2025 10:59 AM**To:** Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Assessors Office Group <assessorsgroup@bonnercountyid.gov>; Avista Copr - Jay West <jay.west@avistacorp.com>; Bay Drive Recreation District <kirbymc45@gmail.com>; Bayview Water & Sewer <bwsd637@gmail.com>; BC Airport Manager Dave Schuck <dave.schuck@bonnercountyid.gov>; BC EMS Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Bonner Sheriff <bonnersheriff@bonnerso.org>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quaylelanduseconsulting@gmail.com>; City of Clark Fork <city@clarkforkidaho.org>; City of Dover <cityclerk@cityofdoveridaho.org>; City of East Hope <easthope.city@gmail.com>; City of Hope <hopecityclerk@gmail.com>; City of Kootenai - Ronda Whittaker <cityclerk@cityofkootenai.org>; City of Oldtown <cityofoldtown@hotmail.com>; City of Ponderay KayLeigh Miller <klmiller@ponderay.org>; City of Priest River <layers@priestriver-id.gov>; City of Sandpoint <cityplanning@sandpointidaho.gov>; cityclerk@spirittlakeid.gov; Coolin Sewer <coolinsewer@gmail.com>; Coolin-Cavanaugh Bay Fire District <coolinfirechief@gmail.com>; DEQ Comments <deqcomments@deq.idaho.gov>; Drainage District #7 Kim Hoodenpyle

<kjh5345@gmail.com>; East Bonner Library <vanessa@ebonnerlibrary.org>; East Priest Lake Fire Chief Tom Renzi <epfldchief@gmail.com>; Ellisport Bay Sewer District <clerk@ebsewerdistrict.com>; Facilities Director LPOSD #84 <matt.diel@lposd.org>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Granite Reeder Sewer District <granitereeder@gmail.com>; Dan Everhart <Dan.Everhart@ishs.idaho.gov>; Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>; Mike Ahmer <mahmer@idl.idaho.gov>; IDL - Nav. Waters Ryan Zandhuisen <RZandhuisen@idl.idaho.gov>; IDL - Pend Oreille Lake Supervisory <esjoquist@idl.idaho.gov>; dbrown@idl.idaho.gov; IDWR Chase Bell <chase.bell@idwr.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; ITD <D1Permits@itd.idaho.gov>; Jack Schenck Vyve/Northland Cable <Jack.schenck@vyvebb.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kootenai Ponderay Sewer District <CJohnson@kootenaiponderaysewerdistrict.org>; Laclede Water District <LWDistrict@frontier.com>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lakeland Joint School District #272 Jessica Grantham <jessica.grantham@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; North of the Narrows Fire Dept <Huckbay2501@gmail.com>; Northern Lights - Kristin Mettke <kristin.mettke@nli.coop>; Northside Fire District - Karen Quenell <kquenell@northsidefire.org>; Outlet Bay Sewer District <outletbaysewer@gmail.com>; Pend Orielle Hospital District <kim.kichenmaster@bonnergeneral.org>; PHD <EHApplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Priest Lake Translator District - Frankie Dunn <Frankiejduhn@hotmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ruen Yeager <planning@ruenyeager.com>; Sagle Valley Water & Sewer District <saglewatersewer@gmail.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; joekren@sd83.org; School District 84 Transportation - James Koehler <james.koehler@lposd.org>; Schweitzer Fire, Spencer Newton <firedistrict@msn.com>; Selkirk Association of Realtors Danielle <danielle@selkirkaor.com>; Selkirk Fire Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Selkirk Recreation District <selgar@mac.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Spirit Lake Fire Dept. (Debbie Carpenter) <chief@spiritlakefire.com>; Superintendent No. 84 Becky Meyer <becky.meyer@lposd.org>; Superintendent School Dist 84 <kelly.fisher@lposd.org>; Syringa Heights Water <allwater49@outlook.com>; Timberlake Fire <kwright@timberlakefire.com>; Trestle Creek Sewer District Janice Best <janicesb@televar.com>; US Fish & Wildlife Services - Christy Johnson Hughes <FW1idahoconsultationrequests@fws.gov>; West Bonner Library <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>; West Priest Lake Fire Josh Gilbert <WPLFD.Chief@gmail.com>

Subject: Notice of Public Hearing - File MOD0007-24 - Private Community Facility and RV Park/Campground (Modification to CUP0017-23)

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Dear Agencies,

The referenced application has been submitted to the Bonner County Planning Department for processing. We kindly ask that you review the application in relation to your agency's expertise and provide any recommended conditions of approval along with the relevant supporting code sections. For additional details, please refer to the attached documents.

Thank you for your attention to this matter.

Best regards,



**BONNER COUNTY
IDAHO**

Jessica Montgomery, M.S.
Hearing Coordinator, Department of Planning
jessica.montgomery@bonnercountyid.gov
(208) 265-1458 ext. 1277

4/2/25, 9:50 AM

Bonner County Mail - [EXT SENDER] RE: Notice of Public Hearing - File MOD0007-24 - Private Community Facility and RV Park/Ca...



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] RE: Notice of Public Hearing - File MOD0007-24 - Private Community Facility and RV Park/Campground (Modification to CUP0017-23)

1 message

Symone Legg <Symone.Legg@itd.idaho.gov>

Tue, Mar 18, 2025 at 12:14 PM

To: Bonner County Planning Department <planning@bonnercountyid.gov>

Cc: Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>

ITD Permits has no comment.

Thank you,

Symone Legg | Project Coordinator

Idaho Transportation Department | D1 Traffic/Permits

Ext: 208.772.8073 Dept: 208.772.1297

Email: symone.legg@itd.idaho.gov | itd.idaho.gov*Enhancing quality of life through transportation*

Work schedule: Monday - Friday 7AM- 4PM

From: Bonner County Planning Department <planning@bonnercountyid.gov>**Sent:** Tuesday, March 18, 2025 10:59 AM

To: Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Assessors Office Group <assessorsgroup@bonnercountyid.gov>; Avista Copr - Jay West <jay.west@avistacorp.com>; Bay Drive Recreation District <kirbymc45@gmail.com>; Bayview Water & Sewer <bwsd637@gmail.com>; BC Airport Manager Dave Schuck <dave.schuck@bonnercountyid.gov>; BC EMS Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Bonner Sheriff <bonnersheriff@bonnerso.org>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quayleanduseconsulting@gmail.com>; City of Clark Fork <city@clarkforkidaho.org>; City of Dover <cityclerk@cityofdoveridaho.org>; City of East Hope <easthope.city@gmail.com>; City of Hope <hopecityclerk@gmail.com>; Manda Corbett <cityclerk@cityofkootenai.org>; City of Oldtown <cityofoldtown@hotmail.com>; City of Ponderay KayLeigh Miller <klmiller@ponderay.org>; City of Priest River <layers@priestriver-id.gov>; City of Sandpoint <cityplanning@sandpointidaho.gov>; City of Spirit Lake <cityclerk@spiritleakeid.gov>; Coolin Sewer <coolinsewer@gmail.com>; Coolin-Cavanaugh Bay Fire District <coolinfirechief@gmail.com>; DEQ <deqcomments@deq.idaho.gov>; Drainage District #7 Kim Hoodenpyle <kjh5345@gmail.com>; East Bonner Library <vanessa@ebonnerlibrary.org>; East Priest Lake Fire Chief Tom Renzi <eplfdchief@gmail.com>; Ellisport Bay Sewer District <clerk@ebsewerdistrict.com>; Facilities Director LPOSD #84 <matt.diel@lposd.org>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Granite Reeder Sewer District <granitereeder@gmail.com>; ID State Historical Society - Dave Everhart <dan.everhart@ishs.idaho.gov>; Idaho Department of Fish & Game <merritt.horsmon@idfg.idaho.gov>; IDL - Mike Ahmer <mahmer@idl.idaho.gov>; IDL - Nav. Waters Ryan Zandhuisen <RZandhuisen@idl.idaho.gov>; IDL - Pend Oreille Lake Supervisory <esjoquist@idl.idaho.gov>; IDL - Priest Lake Supervisory Area <dbrown@idl.idaho.gov>; IDWR Chase Bell <chase.bell@idwr.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; D1Permits <D1Permits@itd.idaho.gov>; Jack Schenck Vyve/Northland Cable <Jack.schenck@vyvebb.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kootenai Ponderay Sewer District <CJohnson@kootenaiponderaysewerdistrict.org>; Laclede Water District <LWDistrict@frontier.com>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lakeland Joint School District #272 Jessica Grantham <jessica.grantham@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; North of the Narrows Fire Dept <Huckbay2501@gmail.com>; Northern Lights - Kristin Mettke <kristin.mettke@nli.coop>; Northside Fire District - Karen Quenell <kquenell@northsidefire.org>; Outlet Bay Sewer District <outletbaysewer@gmail.com>; Pend Orielle Hospital District <kim.kichenmaster@bonnergeneral.org>; PHD <EHApplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Priest Lake Translator District - Frankie Dunn <Frankiejedunn@hotmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ruen Yeager <planning@ruenyeager.com>; Sagle Valley Water & Sewer District <saglawatersewer@gmail.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; School District #83 - Joseph Kren <joeKren@sd83.org>; School District 84 Transportation - James Koehler <james.koehler@lposd.org>; Schweitzer Fire, Spencer Newton <firedistrict@msn.com>; Selkirk Association of Realtors Danielle <danielle@selkirkaor.com>; Selkirk Fire Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Selkirk Recreation District <selgar@mac.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Spirit Lake Fire Dept. (Debbie Carpenter) <chief@spiritleakefire.com>; Superintendent No. 84 Becky Meyer <becky.meyer@lposd.org>; Superintendent School Dist 84 <kelly.fisher@lposd.org>; Syringa Heights Water <allwater49@outlook.com>; Timberlake Fire <kwright@timberlakefire.com>; Trestle Creek Sewer District Janice Best

<janicesb@televar.com>; US Fish & Wildlife Services - Christy Johnson Hughes <FW1idahoconsultationrequests@fws.gov>; West Bonner Library <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>; West Priest Lake Fire Josh Gilbert <WPLFD.Chief@gmail.com>

Subject: Notice of Public Hearing - File MOD0007-24 - Private Community Facility and RV Park/Campground (Modification to CUP0017-23)

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Dear Agencies,

The referenced application has been submitted to the Bonner County Planning Department for processing. We kindly ask that you review the application in relation to your agency's expertise and provide any recommended conditions of approval along with the relevant supporting code sections. For additional details, please refer to the attached documents.

Thank you for your attention to this matter.

Best regards,



BONNER COUNTY
IDAHO

Jessica Montgomery, M.S.

Hearing Coordinator, Department of Planning
jessica.montgomery@bonnercountyid.gov
(208) 265-1458 ext. 1277



Janna Brown <janna.brown@bonnercountyid.gov>

File MOD0007-24 Modification

1 message

'Colleen Johnson' via Mail-Planning <planning@bonnercountyid.gov>
Reply-To: Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>
To: Bonner County Planning <planning@bonnercountyid.gov>

Wed, Apr 9, 2025 at 2:49 PM

Good Afternoon:

Attached is the District's response to the above named file.

NOTICE OF CHANGE IN HOURS: THE OFFICE WILL BE CLOSED ON FRIDAYS. WE WILL BE OPEN NORMAL HOURS MONDAY THRU THURSDAY.

Colleen Johnson

Business Office Manager

Kootenai-Ponderay Sewer District

208-263-0229 Fax – 208-265-5326 Mobile: 208-304-5820

511 Whiskey Jack Road Sandpoint, Idaho 83864

P.O. Box 562, Kootenai, ID 83840

“Dance with Life”



 **25_04_BC_File_MOD0007_24_Modification.pdf**
94K

NOTICE OF PUBLIC HEARING



I hereby certify that a true and correct copy of this "Notice of Public Hearing" was digitally transmitted or mailed (postage prepaid) on this **18th** day of **March 2025**.

Jessica Montgomery

Jessica Montgomery, Hearing Coordinator

This notice was mailed to political subdivisions, property owners within 300 feet of the subject property, and the media on **Tuesday, March 18, 2025**.

NOTICE IS HEREBY GIVEN that the Bonner County Hearing Examiner will hold a public hearing at **1:30 pm on Wednesday, April 16, 2025** in the Bonner County Administration Building, 1500 Highway 2, Sandpoint, Idaho, by Zoom teleconference, and YouTube Livestream to consider the following request:

File MOD0007-24 - Modification of Conditional Use Permit - Private community facility and RV Park/Campground

The applicant is requesting a modification to an existing Conditional Use Permit, CUP0017-23 for a private community facility, to add an RV Park/Campground. The cumulative 23.83-acre project site is zoned Rural 5. The project site is located off Homestead Road in Section 33, Township 54 North, Range 03 West, Boise-Meridian.

Arthur

For details regarding this application, Zoom teleconference, or YouTube livestream, visit the Planning Department web site at www.bonnercountyid.gov/departments/Planning. Staff reports are available online or may be viewed at the planning department approximately a week before the scheduled hearing.

Written statements must be submitted to the planning department record no later than seven (7) days prior to the public hearing. Written statements not exceeding one standard letter sized, single spaced page may be submitted at the public hearing. Statements can be sent to the Bonner County Planning Department at 1500 Highway 2, Suite 208, Sandpoint, Idaho 83864; faxed to 866-537-4935 or e-mailed to planning@bonnercountyid.gov. The referenced start time stated above reflects the beginning of the hearing. Specific file start time and hearing duration vary.

During the hearing for this application, the public will be given an opportunity to provide testimony and/or evidence regarding how the proposal does or does not comply with the applicable approval criteria of the Bonner County Revised Code. At the close of the public hearing, the governing body will make a decision on the application that may include, but is not limited to, approval, denial, remand, or continuance of the public hearing. Any person needing special accommodations to participate in the public hearing should contact the Bonner County Planning Department at (208) 265-1458 at least 48 hours prior to the scheduled hearing.

If you have no comment or response, you may indicate below and return this form to the Planning Department.

NO COMMENT

Name

Kootenai-Ponderay Sewer District

Date

4/9/25

Out of District Boundaries



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] MOD0007-24 LTR

1 message

Denis Twohig <dtwohig@phd1.idaho.gov>

Wed, Mar 19, 2025 at 4:14 PM

To: "PLANNING@BONNERCOUNTYID.GOV" <PLANNING@bonnercountyid.gov>

**Public Health**
Prevent. Promote. Protect.
Panhandle Health District**Denis Twohig** | Technical Records Specialist 1

2101 W Pine St. Sandpoint, ID 83864

P: 208.265.6384

E: ehapplications@phd1.idaho.govW: Panhandlehealthdistrict.org**IMPORTANT:** The information contained in this email may be privileged, confidential or otherwise protected from disclosure.

All persons are advised that they may face penalties under state and federal law for sharing this information with unauthorized individuals.

If you received this email in error, please reply to the sender that you received this information in error.

Also, please delete this email after replying to the sender.

**MOD0007-24 LTR.pdf**

341K



Public Health
Prevent. Promote. Protect.
Panhandle Health District

Panhandle Health District

Healthy People in Healthy Communities



March 19, 2025

Jessica Montgomery
Bonner County Planning Dept
1500 Highway 2, Suite 208
Sandpoint, ID 83864

RE: MOD0007-24 – Charland, Jessica

This letter is intended as Panhandle Health District (PHD) comments regarding the MOD indicated above.

Panhandle Health District (PHD) has located 1 septic permit for parcel number RP54N03W333530A (see enclosed PHD permit # 97-09-0212). The septic permit indicates the existing septic system is sized & approved for 1 single family dwelling with 3 bedrooms (250gpd). The applicant must ensure they do not compromise any of their existing wastewater disposal system components with new activities on this parcel and a future drainfield replacement area must be retained for future use. The applicant must ensure that all water service lines & septic system components are compliant with relevant IDAPA rules related to water & wastewater.

Per IDAPA 58.01.03 Subsurface Sewage Disposal Rules, unless authorized by the Director, no person shall provide for or connect additional blackwater or wastewater sources to any system if the resulting flow or volume would exceed the design flow of the system or there is a change of use that deviates from the original conditions of approval of the septic permit. It appears there may be additional wastewater generating structures located on this property beyond what was originally permitted. As such, if any plans for this parcel involve an increase in wastewater flows from additional structures, dwellings, or RVs other than what has already been approved, the landowner must contact PHD to ensure compliance with the rules.

Per the MOD Application, it is unclear in the proposal whether wastewater from RVs or any other proposed wastewater generating structures (i.e cabins and shower house) is to be disposed of in the existing sewage disposal system located on the parcel. If a septic system is proposed for use, it will require either an expansion permit or a permit for a separate system to accommodate any additional wastewater flows generated on the property from additional existing structures. In Idaho, an increase in wastewater flows will only be approved if the site can meet all current standards per IDAPA 58.01.03.

The proposed plan for drinking water should also be assessed to verify whether the facility should be regulated as a public water system.

If the applicant has questions regarding compliance with IDAPA rules for drinking water & wastewater, they should contact PHD at (208) 265-6384.

Regards,

Aubrey Naylor, REHS

Sandpoint – Bonner County
2101 W. Pine St.
Sandpoint, ID 83864
208.265.6384

Panhandle Health District I ON-SITE SEWAGE SYSTEM PERMIT

Permit # SP 97-09-0212

Issue Date 7/9/97

This permit is valid for one year for an individual subsurface sewage disposal system for:

Parcel # RP54N03W333050A, Township 54N, Range 03W, Section 33, Boise Meridian; a 5.00 acre plot currently belonging to Bart Widgren. The system has been sized for a 1600 square foot single family residence with 3 bedrooms and 2 baths.

The following conditions are placed upon the permit:

SEPTIC TANK-

- Tank Capacity will be at least 1000 gallons (concrete only)

DRAINFIELD (& replacement area)-

- Drainfield size will be at least 300 square feet

CONDITIONS-

- » Follow all setback requirements

SEPARATION DISTANCES:

- Distance of tank from dwelling foundation - 5 feet minimum
- Distance of tank from well - 50 feet minimum
- Distance of tank from private water lines - 10 feet minimum
- Distance of tank from public water lines - 25 feet minimum
- Distance of field from property line - 5 feet minimum
- Distance of field from dwelling foundation - 20 feet minimum
- Distance of field from well - 100 feet minimum
- Distance of field from surface water - 300 feet minimum
- Distance of field from septic tank - 6 feet minimum
- Distance of field from water lines - 25 feet minimum
- Drainfield must not exceed 4 feet in depth unless specified alternative system

Permit Issued by Lorne E. Braun, Environmental Health Specialist

Final Approval of this Permit requires inspection of the system in the ground, uncovered, and submittal of a plot plan distinguishing system construction specifications and final layout including location on the plot with respect to other permanent structures.


Final Plot Plan Submitted on: _____ Installation Date: _____

System Installed by: Charles H. H. H. Installer #: _____

Inspected by: Lorne E. Braun


Approved on: 9/16/97 Disapproved on: _____

Reference: Rules & Regulations for individual and Subsurface Sewage Disposal Systems



Panhandle Health District I
Environmental Health Section

2195 Ironwood Court
Coeur d'Alene, Idaho 83814
(208) 667-9513
FAX (208) 765-4309



Y900

COPY

On-Site Sewage System Permit

200-
Septic Permit # 97-09-0212

25024
Owner

Bart Widgren
833 Homestead Rd
Athol, ID 83801
683-1629

Parcel # RP54N03W333050A

Applicant

Bart Widgren
833 Homestead Rd
Athol, ID 83801
683-1629

Enclosed please find your On-Site Sewage System Permit. This permit includes three sections.

- Section One - The first section is the actual On-Site Sewage System Permit. This permit is an approval for **construction** of the sewage system. Final approval of the permit is given after a final inspection has been done.
- Section Two - The second section is a **Working Copy** of the permit. If you have hired a licensed installer, this is the portion of the permit which provides them with the necessary information to install the system properly. As they are licensed, they should already know all separation distances listed on the permit.
- Section Three - The third section of the permit is an **As-Built**. A drawing / plot plan of how the system was built with reference points to permanent structures should be made. This will be filed with your permit at the health district for future reference. You may wish to copy this for your own records as well.

If you have any further questions about the permit please contact the Environmental Health Specialist listed at the bottom of the permit.




In the space provided below, please ✓ or ✗ any of the appropriate boxes. Include descriptions where possible (i.e. Surface Water - Twin Lakes). Please provide a dimensional plot plan including: all marked items below; location and size of proposed or existing drainfields and associated replacement area(s); home site; location of and distances from all existing water supply system features; proposed or existing storm water management structures, property lines, easements and right-of-ways; neighboring structures of concern; location & size of all buildings and structures on the property.

- ☐ Surface Water _____
- ☐ Canals / ditches _____
- ☒ Well - public / private _____
- ☐ Spring _____
- ☐ Easements _____
- ☐ Storm Water Management _____

- ☒ Waterline - public / private _____
- ☐ Neighboring dwelling _____
- ☐ Neighboring wells _____
- ☐ Cut Banks _____
- ☒ Property Line See Plot Plan
- ☐ Other _____

PLOT PLAN



Signature Bart O. Wick



Date 6-30-97

By my signature above, I certify that all answers and statements on this application are true and complete to the best of my knowledge. I understand that should evaluation disclose untruthful or misleading answers, my application may be rejected or my permit canceled. I accept the responsibility to notify Panhandle Health District of any changes to the above information if performed prior to completion of the permitted system.

As-Built Plans and Specifications

We require as-built plans on all installations so that current and future owners can locate and maintain their sewage systems and avoid disrupting them with buildings, driveways, etc. as outlined in *Rules for Individual and Subsurface Sewage Disposal Systems*, Section 16.01.03.005,15. An accurate drawing depicting actual construction must be submitted to Panhandle Health District within thirty (30) days of an approved final inspection.

AS-BUILT for SP 97-09-0212



Charles Hubble
Installer's Signature

8-16-97
Date

By my signature above, I certify that all drawings and statements on this as-built are true and complete to the best of my knowledge. I understand that should evaluation disclose untruthful or misleading information, my as-built may be rejected or the permit disapproved.

NOTICE OF PUBLIC HEARING



I hereby certify that a true and correct copy of this "Notice of Public Hearing" was digitally transmitted or mailed (postage prepaid) on this **18th** day of **March 2025**.

Jessica Montgomery

Jessica Montgomery, Hearing Coordinator

This notice was mailed to political subdivisions, property owners within 300 feet of the subject property, and the media on **Tuesday, March 18, 2025**.

NOTICE IS HEREBY GIVEN that the Bonner County Hearing Examiner will hold a public hearing at **1:30 pm** on **Wednesday, April 16, 2025** in the Bonner County Administration Building, 1500 Highway 2, Sandpoint, Idaho, by Zoom teleconference, and YouTube Livestream to consider the following request:

File MOD0007-24 - Modification of Conditional Use Permit - Private community facility and RV Park/Campground

The applicant is requesting a modification to an existing Conditional Use Permit, CUP0017-23 for a private community facility, to add an RV Park/Campground. The cumulative 23.83-acre project site is zoned Rural 5. The project site is located off Homestead Road in Section 33, Township 54 North, Range 03 West, Boise-Meridian.

For details regarding this application, Zoom teleconference, or YouTube livestream, visit the Planning Department web site at www.bonnercountyyid.gov/departments/Planning. Staff reports are available online or may be viewed at the planning department approximately a week before the scheduled hearing.

Written statements must be submitted to the planning department record no later than seven (7) days prior to the public hearing. Written statements not exceeding one standard letter sized, single spaced page may be submitted at the public hearing. Statements can be sent to the Bonner County Planning Department at 1500 Highway 2, Suite 208, Sandpoint, Idaho 83864; faxed to 866-537-4935 or e-mailed to planning@bonnercountyyid.gov. The referenced start time stated above reflects the beginning of the hearing. Specific file start time and hearing duration vary.

During the hearing for this application, the public will be given an opportunity to provide testimony and/or evidence regarding how the proposal does or does not comply with the applicable approval criteria of the Bonner County Revised Code. At the close of the public hearing, the governing body will make a decision on the application that may include, but is not limited to, approval, denial, remand, or continuance of the public hearing. Any person needing special accommodations to participate in the public hearing should contact the Bonner County Planning Department at (208) 265-1458 at least 48 hours prior to the scheduled hearing.

If you have no comment or response, you may indicate below and return this form to the Planning Department.

NO COMMENT

Name

Date

SANDPOINT RANGER DISTRICT
Idaho Panhandle National Forests
1602 Ontario St.
Sandpoint, ID 83864

12/12