

Bonner County Planning Department

"Protecting property rights and enhancing property value"

1500 Highway 2, Suite 208, Sandpoint, Idaho 83864

Phone (208) 265-1458 - Fax (866) 537-4935

Email: planning@bonnercountyid.gov - Web site: www.bonnercountyid.gov



Short Plat Administrative Staff Report

Project Name: Priest River Pines 1st Addition

File Number, Type: SS0005-25 - Short Plat

Request: The applicant is proposing to divide one (1) approximate 20-acre into four (4) approximate 4.95-acre lots.

Legal Descriptions: 22-56N-5W TAX 24

Location: The property is zoned Rural 5. The project is located off Daytona Drive in Priest River, generally located in Section 22, Township 56 North, Range 05 West, Boise-Meridian.

Parcel Numbers: RP56N05W225560A

Parcel Sizes: Approximately 20-Acres

**Applicant/
Landowner:** Sanborn Creek Ventures, LLC. – Jake Weimer
PO BOX 55
Priest River, ID 83856


**Project
Representative:** Whiskey Rock Planning & Consulting – Jeremy Grimm
614 Creekside Lane
Sandpoint, ID 83864

Application filed: June 25, 2025

Continued: October 22, 2025

Notice provided: Mail: August 28, 2025 & February 12, 2026
Published in newspaper: August 28, 2025 & February 12, 2026

Enclosures: Appendix A – Notice of Agency Review Records of Mailing
Appendix B – Agency Comments



Project Summary:

The applicant is proposing to divide one (1) approximate 20-acre into four (4) approximate 4.95-acre lots. The property is zoned Rural 5. The project is located off Daytona Drive in Priest River, generally located in Section 22, Township 56 North, Range 05 West, Boise-Meridian.

Applicable Laws:

BCRC 12-268	Application Process, General Provisions
BCRC 12-411	Density and Dimensional Standards: Rural 5 District
BCRC 12-610	Applicability/ Qualifications
BCRC 12-611	Definitions
BCRC 12-620	Design Standards: General
BCRC 12-621	Design Standards: Lot Design
BCRC 12-623	Design Standards: Services and Utilities
BCRC 12-624	Design Standards: Roads and Access
BCRC 12-626	Design Standards: Environmental Features
BCRC 12-640	Subdivisions, Processing of Subdivision Applications, General
BCRC 12-641	Subdivisions, Pre-application review
BCRC 12-642	Preliminary Plat, Contents of Application
BCRC 12-644	Improvement Plan Required, Contents
BCRC 12-645	Standards for review of Applications for Preliminary Plat of all Subdivisions
BCRC 12-650	Application/ Contents of Preliminary Plats for Short Plat Procedure
BCRC 12-651	Short Plat, Procedure for approval of Preliminary Plat
BCRC 12-7.2	Grading, Stormwater Management and Erosion Control
BCRC 12-7.3	Wetlands
BCRC 12-7.4	Wildlife
BCRC 12-7.5	Flood Damage Prevention
BCRC 12-7.6	Hillsides

Background:

A. Site data:

- Current Use: Vacant
- Status: Unplatted
- Size: Approximately 20-acres
- Zone: Rural 5
- Land Use: Rural Residential (5-10 AC)


B. Access:

- The site is accessed by Daytona Drive, a privately owned and maintained 60-foot easement.



C. Environmental Factors:

- Site contains slopes between 0%-30%. (United States Geological Survey)
- Site does not contain mapped wetlands. (United States Fish and Wildlife Services)
- Site does not contain frontage to a mapped lake, pond, stream, river or waterbody. (National Hydrography Dataset, United States Geological Survey)
- Site contains the following types of soil. (Natural Resources Conservation Service, United States Department of Agriculture)


- Rathdrum silt loam, 0-2 percent slopes, (All areas are prime farmland)
- Bonner gravelly ashy silt loam, 0-4 percent slopes, (All areas are prime farmland)
- Bonner gravelly silt loam, 30-65 percent slopes, (Not prime farmland)
- Parcel is within SFHA Zone X per FIRM Panel Numbers 16017C0865E and 16017C0855E, Effective Date 11/18/2009. No further floodplain review is required on this proposal.
- No critical wildlife habitat areas identified by any local, state or federal agencies on site.




Slopes



Soils




Zoning



- Alpine Village (Av)
- Recreation (Rec)
- Suburban (S)
- Commercial (C)
- Rural Service Center (Rsc)
- Industrial (I)
- Rural 5 (R-5)
- Rural 10 (R-10)
- Agricultural/forestry 10 (A/f-10)
- Agricultural/forestry 20 (A/f-20)
- Forest 40 (F)

Land Use Designation



- Transition (≤ 2.5 AC)
- Neighborhood Commercial (0-2.5 AC)
- Urban (0-2.5 AC)
- Resort Community (0-2.5 AC)
- Alpine Community (0-2.5 AC)
- Suburban Growth Area (2.5-5 AC)
- Rural Residential (5-10 AC)
- Ag/Forest Land (10-20 AC)
- Prime Ag/Forest Land (20+ AC)
- Remote Ag/Forest (40+ AC)

D. Services:

- Water: Individual Wells
- Sewage: Individual Systems
- Fire: West Pend Oreille Fire Department
- Power: Avista Utilities per Application/Northern Lights Inc. per Narrative
- School District: West Bonner School District #83
- Ambulance District: Bonner County Ambulance District

Staff Review and Analysis

BCRC	STANDARD FOR	REQUIRED	CONFORMANCE		
			Yes	No	N/A
12-2.6	Application Process				
12-268	Application Process, General Provisions	Fees, Determination of Application Completion, Agency Review, ACI Notification, Priority Applications, Written Decision.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-4.1	Density and Dimensional Standards				
12-411	Min. Lot Size	Min. permitted lot size of 5-acres.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-6.2	Design Standards				
12-620	General	Easements, constraints, reserved land areas to be shown and marked on the plats.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-621	Lot Design	Depth to width ratio of not more than 3.2:1 (lots less than 300 feet wide) VA0031-25 approved. See Conditions of Approval.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-622	Submerged Lands	Submerged lands not to be counted towards density calculations.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-623.A	Urban services	For lots less than 1 acres in size, urban services required.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-623.B	Water supply	Well Logs Demonstrate Adequate Water Availability. See Conditions of Approval.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12-623.C	Sewage disposal	Sanitary Restriction Lift Will Be Applied	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-623.D	Fire Plan/Fire risk Assessment/ Fire Mitigation	Fire Risk Assessment, Fire Mitigation and Fire Suppression. See Conditions of Approval.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12-624.A	Road name	Unique road names for new roads.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-624.B	Road standards	No new roads proposed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

BCRC	STANDARD FOR	REQUIRED	CONFORMANCE		
			Yes	No	N/A
12-624.C	Legal access	Legal access to each proposed lot.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-624.D	Public road frontage	For lots less than 5 acres in size, direct frontage and direct access to public roads required.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-625.A	Trails and Parks	Bonner County Trails Plan	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-625.B	Trails and Parks	Public Access, Parks and Facilities	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-626.A	Natural Hazards	Subdivision to be designed around identified natural hazards.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-626.B	Conformance with BCRC 12-7	Conformance with environmental standards.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-6.4	Preliminary Plat Procedures				
12-640	Processing Applications		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-641	Pre-application Review		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-642.A	Application Content	Application Form	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-642.B	Application Content	Preliminary Plat prepared by Idaho licensed surveyor, showing parcels to be created.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-642.B.1	Plat Content	Subdivision name, geographic grid, north arrow, and vicinity map, vicinity road pattern.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-642.B.2	Plat Content	Boundary line of tract to be subdivided, intersection property lines, abutting roads, names and addresses of adjoining owners shown in their respective places of ownership on the plat. See Conditions of Approval.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12-642.B.3	Plat Content	Location, dimensions, and area of proposed lots. Lot numbering.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-642.B.4	Plat Content	Location, dimensions and tentative names of proposed streets and roads.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-642.B.5	Plat Content	Sufficient contours to show the shape of the land and extending at least one hundred feet beyond the subdivision limits.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-642.B.6	Plat Content	Location of water courses, floodplains per FIRMs with BFEs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-642.B.7	Plat Content	Existing wells, springs, wetland boundaries,	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

BCRC	STANDARD FOR	REQUIRED	CONFORMANCE		
			Yes	No	N/A
		wetland delineations, drainage channels, overhead and underground utility lines, structures, sanitary sewers, and culverts within the tract.			
12-642.B.8	Plat Content	Proposed method of water supply, sewage, and solid waste disposal.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-642.B.9	Plat Content	All easements of record, including sufficient data to identify conveyance.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-642.B.10	Plat Content	Purpose indication for parcels reserved for public dedication or common use of property owners.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-642.B.11	Plat Content	Statement for intended use of parcels.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-642.C.1	Application Fee		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-642.C.2	Road Design and Profile	Preliminary road design and profile prepared, stamped and signed by Idaho licensed engineer.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-644.A	Improvements Plan	Plans to be prepared by a registered civil engineer. Two copies to be provided.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-644.B	Improvements Plan	County Engineer Inspections.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-644.C	Surety Agreement	In lieu of completing all improvements, the subdivider shall enter into a surety agreement with the Board.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-645.A	Prelim. Plat Review Standard	In accord with purposes of Title 12 and the applicable Zoning District.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-645.B	Prelim. Plat Review Standard	Site is physically suitable for proposed development.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-645.C	Prelim. Plat Review Standard	No adverse impact to natural resources. If any, to be mitigated as Conditions of Approval.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-645.D	Prelim. Plat Review Standard	Adequate services to serve the proposed subdivision.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-645.E	Prelim. Plat Review Standard	Proposed subdivision to not expose future residents or public at large to be exposed to health or safety.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-645.F	Prelim. Plat Review Standard	Provision for coordinated access with the county system of roads. Proposed transportation to adequately and safely serve the future residents.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-645.G	Prelim. Plat	Compliance with Title 12, Subchapter 6.2.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

BCRC	STANDARD FOR	REQUIRED	CONFORMANCE		
			Yes	No	N/A
	Review Standard				
12-6.5	Short Plats, Procedures				
12-650.A	Purpose		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-650.B	Application	Short Plat application items	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-650.C	Permit Required	Eligibility for Short Plat	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-650.D	Plat Contents				
12-651	Procedure for Prelim. Short Plat Approval	Application to be filed as per BCRC 12-268, Agency Routing, Public Noticing, ACI Noticing, Comment Period, Staff Report Issuance, Written Decision, Preliminary Plat Validity, Administrative Decision Appeal. <i>See Conditions of Approval.</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-7.2	Grading, Stormwater Management And Erosion Control				
12-720.1	Purpose		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-720.2	Applicability	Activities to which Subchapter 12-7.2 is applicable.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-720.3. J	Non-applicability	Activities to which Subchapter 12-7.2 is not applicable.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-722.1	Procedure for New Subdivisions		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-724.4	Optional Preliminary	For preliminary plats, an optional preliminary grading/storm water management and erosion control plan may be submitted at the time of the application.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-7.3	Wetlands				
12-730	Purpose		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-731	Wetland Reconnaissance	Required for all subdivisions containing mapped wetlands. (A)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-732	Wetland Delineation	Required for all subdivisions containing mapped wetlands. Exception where all building sites are delineated on the plat outside of wetlands based on reconnaissance.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-733	Wetland Buffer and Setbacks	Buffer area may be required or 40' setback shown on plat.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-7.4	Wildlife				
12-740	Purpose		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

BCRC	STANDARD FOR	REQUIRED	CONFORMANCE		
			Yes	No	N/A
12-741	Standards for New Subdivisions		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-7.5	Flood Damage Prevention				
	Conformance with BCRC Title 14.		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-7.6	Hillsides				
12-760	Purpose		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12-761	Conceptual Engineering Plan	May be required when land disturbing activity is proposed.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12-762	Geotechnical Analysis	Required when proposed building sites, roads, driveways or other development disturb slopes of 30%+ or hazardous features exist.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Staff concluded this project **is** consistent with Bonner County Revised Code based upon the contents of this staff report, including the Standards Review, Conditions of Approval and Conclusions of Law herein.

Agency and Public Comments

Agencies and Taxing Districts were notified of this request on August 28, 2025 and February 12, 2026. A full list of the agencies notified can be found in Appendix A. Agency Comments can be found in Appendix B.

The following agencies replied:

Bonner County Planning Floodplain Review
 Bonner County Historical Society
 Idaho Department of Water Resources
 Idaho State Historical Society
 Panhandle Health District
 West Pend Oreille Fire District
 Idaho Transportation Department – Permits
 City of Priest River

The following agencies replied (No Comment):

Bonner County Solid Waste
 Idaho Department of Environmental Quality
 Idaho Department of Fish and Game
 Idaho Transportation Department
 Kootenai/Ponderay Sewer District

No other agencies replied.

Public Comments:

At the time this Staff Report was written, no public comments were received.

Conclusions of Law:

Based upon the findings of fact, the following conclusions of law are adopted:

Conclusion 1: The proposed subdivision **is** in accord with the purposes of this Title and of the zoning district in which it is located.

Conclusion 2: The site **is** physically suitable for the proposed development.

Conclusion 3: The design of the proposed subdivision **will not** adversely impact Bonner County's natural resources, as identified in the comprehensive plan. Any adverse impacts or potential for impacts shall be mitigated as a condition of approval.

Conclusion 4: The public and private services, including but not limited to water, sewer services, solid waste, fire protection, emergency services, and school facilities and transportation, which will serve the proposed subdivision **are** adequate for the needs of future residents or users.

Conclusion 5: The proposed subdivision **will not** cause circumstances to exist that will cause future residents or the public at large to be exposed to hazards to health or safety.

Conclusion 6: The design of the proposed subdivision or related improvements **will** provide for coordinated access with the county system of roads and with adjacent properties and **will not** impede the use of public easements for access to, or through the proposed subdivision. The proposed transportation system **is** designed to adequately and safely serve the future residents or users without adversely impacting the existing transportation system by reducing the quality or level of service or creating hazards or congestion.

Conclusion 7: The proposed subdivision **is** designed to comply with the design criteria for subdivisions set forth in Subchapter 6.2 of this chapter.

Conclusion 8: The proposed subdivision **is not** in conflict with the Bonner County Comprehensive Plan.

Conditions of Approval:

1. Per BCRC 12-623 (D): D. All proposed lots shall be designed by the applicant to provide a fire protection plan for the proposed lots to provide, at a minimum, an

assessment of fire risk and plans to reduce the risk, and provisions for defensible space, where material capable of allowing a fire to spread unchecked will be treated, cleared or modified to slow the rate and intensity of an advancing wildfire and to create an area for fire suppression operations to occur, and for at least one of the following:

1. Prior to final plat, an approved water and fire hydrant system capable of providing one thousand (1,000) gallons per minute for a minimum of two (2) hours where a community water system exists or is proposed as part of the development and is capable of delivering the pressurized water supply necessary for delivering fire flows as prescribed by the international fire code, as adopted by the state fire marshal, and such later editions as may be so published and adopted by the state fire marshal, or as amended, modified or superseded, and incorporated herein by reference with a copy on file with the office of the clerk of the board of county commissioners, and hereinafter referred to as IFC.
2. A note on the final subdivision plat stating: "At the time of building location permit or building permit, the lot owner shall install a minimum two thousand (2,000) gallon water storage system, meeting IFC standards". Refill on demand is not required to meet IFC standards.
3. A note on the final subdivision plat stating: "The installation of an approved IFC residential fire suppression sprinkler system is required in all newly constructed residences".
4. Prior to final plat, a manmade or natural water source with a dry hydrant capable of delivering adequate water supply as prescribed by IFC.
5. A note on the final subdivision plat stating: "At the time of building permit or building location permit, the lot owner shall install an approved fire suppression method to the satisfaction of Bonner County"

2. Per BCRC 12-623 (B)(1), Lots to be served by an individual well on each lot: Applicants shall demonstrate how the aquifer proposed for water supply has sufficient production capability to provide drinking water to all applicable lots and that a location is available within each lot for installation of a well without conflicting with proposed sewage systems on or adjacent to the proposed lot.
3. Per BCRC 12-642 (B)(2), Statuses of all adjoining properties to be shown.
4. Per BCRC 12-621 (A), All proposed lot which are 300 feet or less in width shall maintain a depth to width ratio of not greater than 3.2:1, except where deviations were granted in file VA0031-25.
5. Lot dimensions to be in accord with the approved site plan in file VA0031-25.
6. Per BCRC 12-646, BCRC 12-647 and BCRC 12-648, a final plat shall be submitted in accordance with these sections of the Bonner County Revised Code after the approval of the preliminary plat.
7. Per BCRC 12-648 (A), the applicant shall submit final plat check fees, current preliminary title report and one blueprint copy of the proposed final plat. Instead of submitting one blueprint copy, the applicant may submit a pdf copy of the final blue line plat.

8. Per BCRC 12-648 (B), the final plat must conform to the final plat requirements of Idaho Code Section 50-1304 and BCRC 12-647.
9. Per BCRC 12-649, a digital copy of the final plat shall be submitted to the Planning Department. The digital copy submission shall not substitute for any contents of the final plat listed above.
10. Per BCRC 12-651 (G), the preliminary short plat shall be valid for a period not to exceed two (2) calendar years from the date of approval. At any time prior to the expiration date of the preliminary short plat, an applicant may make a written request to the planning director for an extension of the preliminary short plat for a period up to two (2) years, finding that conditions or applicable regulations have not changed so substantially as to warrant reconsideration of the proposed subdivision with respect to the public health, safety, and general welfare. The planning director may recommend such request for extension at any regular business meeting of the board of commissioners. The extension request must be approved or denied prior to the expiration date of the preliminary short plat.

Staff Recommendation for Action: Approval With Conditions

The applicant, or interested parties, have 10 days from the date of the issuance of this report to provide written comment in response to the staff report.

The Planning Director shall make an administrative decision to approve, approve with modifications, continue, deny or recommend a public hearing on the file following the closing of the ten-day response period on **March 30, 2026**.

Planner's Initials: DF

Date: March 20, 2026

Appendix A – Records of Mailing

RECORD OF MAILING

Page 1 of 1

File No.: SS0005-25

Record of Mailing Approved By:



I hereby certify that a true and correct copy of the "Notice of Public Hearing" was digitally transmitted or mailed (postage prepaid) on this **12th** day of **February 2026**.

Janna Brown

Janna Brown, Administrative Assistant III

Assessor - Email	Avista Utilities - Email
Bay Drive Recreation District - Email	Bayview Water & Sewer - Email
Bonner County Airport Manager - Email	BONNER COUNTY DAILY BEE - U.S. Mail
Bonner County EMS - Email	Bonner County Floodplain Review - Email
Bonner County Road & Bridge - Email	Bonner County Sheriff - Email
Bottle Bay Water & Sewer District - Email	City of Clark Fork - Email
City of Dover - Email	City of East Hope - Email
City of Hope - Email	City of Kootenai - Email
City of Oldtown - Email	City of Ponderay - Email
City of Priest River - Email	City of Sandpoint - Email
City of Spirit Lake - Email	Coolin Sewer District - Email
Coolin-Cavanaugh Bay Fire District - Email	Drainage District #7 - Email
East Bonner Library - Email	East Priest Lake Fire District - Email
Ellisport Bay Sewer - Email	Garfield Bay Water & Sewer District - Email
GEM STATE MINER - U.S. Mail	Granite Reeder Water & Sewer District - Email
Idaho Department of Environmental Quality (DEQ) - Email	Idaho Department of Fish & Game - Email
Idaho Department of Lands - CDA - U.S. Mail	Idaho Department of Lands - Coolin - Email
Idaho Department of Lands - Navigable Waters & Mining - Email	Idaho Department of Lands - Sandpoint - Email
Idaho Department of Water Resources - IDWR - Email	Idaho Transportation Department (Aeronautics) - U.S. Mail
Idaho Transportation Department- District I - Email	Independent Highway District - Email
Kalispel Bay Sewer & Water - U.S. Mail	Kootenai-Ponderay Sewer District - Email
KPBX-FM 91 SPOKANE PUBLIC RADIO - U.S. Mail	KSPT-KPND-KIBR RADIO - U.S. Mail
Laclede Water District - Email	Lake Pend Oreille School District, #84 (Admin Office) - Email
Lake Pend Oreille School District, #84 (Transportation) - Email	Lakeland Joint School District, #272 - Email
Little Blacktail Ranch Water Association - U.S. Mail	North of the Narrows Fire District - Email
Northern Lights, Inc. - Email	Northland/Vyve Cable Television - Email
Northside Fire District - Email	Outlet Bay Sewer District - Email
Panhandle Health District - Email	Pend Oreille Hospital District - Email
Priest Lake Public Library District - Email	Priest Lake Translator District - Email
Sagle Valley Water & Sewer - Email	Sam Owen Fire District - Email
Schweitzer Fire District - Email	SELKIRK ASSOCIATION OF REALTORS - U.S. Mail
Selkirk Fire, Rescue & EMS - Email	Selkirk Recreation District -Email
Southside Water & Sewer District - Email	Spirit Lake Fire District - Email
Spokesman-Review - U.S. Mail	State Historical Society - Email
Swan Shores Sewer District - U.S. Mail	Syringa Heights Water Association - Email
Tamarack Village Water & Sewer - U.S. Mail	Timber Lake Fire District - Email
Trestle Creek Sewer District - Email	U.S. Army Corps of Engineers - Email
U.S. Fish & Wildlife Service - Email	U.S. Forest Service - U.S. Mail
West Bonner County Cemetery District - Email	West Bonner County School District, #83 - Email
West Bonner Library - Email	West Bonner Water & Sewer District - Email
West Pend Oreille Fire District - Email	West Priest Lake Fire District - Email

Appendix B - Agency Comments



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] RE: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1st Addition - Noticing 2.12.26

1 message

DEQ Comments <deqcomments@deq.idaho.gov>
To: Bonner County Planning <planning@bonnercountyid.gov>

Thu, Feb 19, 2026 at 2:02 PM

Good Afternoon,

Thank you for providing the opportunity to comment. DEQ has no environmental impact comments for the project listed above at this stage of development.

Thank you,

Idaho Department of Environmental Quality
2110 Ironwood Parkway, Coeur d'Alene, Idaho 83814
Office Line: 208.769.1422

www.deq.idaho.gov

Our mission: To protect human health and the quality of Idaho's air, land, and water.

From: Bonner County Planning <planning@bonnercountyid.gov>**Sent:** Thursday, February 12, 2026 11:07 AM**To:** Alan Brinkmeier <alan.brinkmeier@bonnercountyid.gov>; Amber Burgess <clerk@ebsewerdistrict.com>; Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Avista Copr - Jay West <jay.west@avistacorp.com>; Avista Corp - Peggy George <peggy.george@avistacorp.com>; Becky Meyer <becky.meyer@lposd.org>; Bill Berg <billb@bbsewer.org>; Bonner County Assessors <assessorsgroup@bonnercountyid.gov>; BONNER COUNTY HISTORICAL SOCIETY AND MUSEUM <DIRECTOR@bonnercountyhistory.org>; Bonner County Solid Waste <solidwaste@bonnercountyid.gov>; Bonnie Schademan <bonnies@inlandpower.com>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quaylelanduseconsulting@gmail.com>; Carrol Stejer <CASTEJER@gmail.com>; charityhinshaw@sd83.org; Chief Debbie Carpenter <chief@spirittlakefire.com>; City of Clark Fork <CityClerk1@clarkforkidaho.gov>; City of Dover <cityclerk@cityofdoveridaho.org>; City of East Hope Franck <easthope.city@gmail.com>; City of Hope <hopecityclerk@gmail.com>; City of Oldtown <cityofoldtown@hotmail.com>; City of Sandpoint Planning <cityplanning@sandpointidaho.gov>; cityclerk@spirittlakeid.gov; Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>; Craig Hill <craighill@hillsresort.com>; D1Permits <D1Permits@itd.idaho.gov>; dbrown@idl.idaho.gov; Dan Scholz <dan.scholz@nli.coop>; Dave Schuck <dave.schuck@bonnercountyid.gov>; David LaTourette <coolinfirechief@gmail.com>; David LaTourette

<Coolinfdchief@gmail.com>; Dean Davis <deandavis@sd83.org>; East Bonner Library <Amanda@ebonnerlibrary.org>; East Priest Lake Fire District <eastpriestlakefd@gmail.com>; Erik Sjoquist <esjoquist@idl.idaho.gov>; Federal Aviation Administration <Heather.pate@faa.gov>; Frankie Dunn <frankiejdunn@hotmail.com>; Fritz Broschet <outletbaysewer@gmail.com>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>; Dan Everhart <Dan.Everhart@ishs.idaho.gov>; DEQ Comments <deqcomments@deq.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; Robert Beachler <robert.beachler@itd.idaho.gov>; ITD - Stacy Simkins <stacy.simkins@itd.idaho.gov>; Jack Schenck <Jack.schenck@vyvebb.com>; Jake Gabell <jgabell@priestriver-id.gov>; Janice Best <janicesb@televar.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Jason Kimberling <jason.kimberling@itd.idaho.gov>; Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Jessie Roe <BWSD637@gmail.com>; joekren@sd83.org; Jordan Brooks <coolinsewer@gmail.com>; KayLeigh Miller <klmiller@ponderay.org>; kbsd sewer <kbsdpl@hotmail.com>; Ken Flint <ken_flint@tcenergy.com>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kim Hoodenpyle <kjh5345@gmail.com>; Kim Spacek <kimspacek@sd83.org>; Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>; Laclede Water District <info@lacedewaterdistrict.org>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; Bates, Luke <Luke.Bates@idwr.idaho.gov>; Matt Diel <matt.diel@lposd.org>; Midas Water <midaswatercorp@gmail.com>; Mike Ahmer <mahmer@idl.idaho.gov>; Mike Schacht <firedept@clarkforkidaho.gov>; Natural Resource Conservation Service - Greg Becker <greg.becker@id.usda.gov>; Navy - Glynis Casey <glynis.casey@navy.mil>; North of the Narrows Fire District <northofthenarrowsfire@gmail.com>; Northern Info <northerninfo@idwr.idaho.gov>; Northern Lights <kristin.mettke@nli.coop>; Northern Lights - Clint Brewing <clint.brewington@nli.coop>; Northside Water and Syringa Heights Water Association <allwater49@outlook.com>; Oden Water Association - Carla Poelstra <odenwater@gmail.com>; Pend Oreille Hospital District <kim.kichenmaster@bonnergeneral.org>; PHD <EHApplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Richard Hash <Rich.hash2022@gmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ryan Zandhuisen <rzandhuisen@idl.idaho.gov>; Sagle Valley Water and Sewer District <saglewatersewer@gmail.com>; Sagle Valley Water & Sewer District <markc@smartplugs.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; Sam Ross <sam.ross@nli.coop>; Sarah Gilmore <sgilmore@sandpointidaho.gov>; School District 84 Transportation - James Koehler <james.koehler@lposd.org>; SCHWEITZER FIRE DISTRICT <SchweitzerFireDistrict@gmail.com>; Selkirk Association of Realtors <danielle@selkirkaor.com>; Selkirk Recreation District <elgar@whoi.edu>; Sheryl Austin <granitereeder@gmail.com>; SOURDOUGH POINT OWNERS ASSOCIATION <sourdoughpoint@hotmail.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Steve Elgar <selgar@mac.com>; Superintendent School Dist 84 <kelly.fisher@lposd.org>; Symone.legg@itd.idaho.gov; Tammy Miller <tMiller@selkirkfire.com>; Tammy Miller <tMiller@selkirkfire.us>; TC Energy / TransCanada <US_crossings@tcenergy.com>; Teresa Decker <Huckleberryhoa@gmail.com>; Teresa Decker <huckbayutilities01@gmail.com>; Teresa Zamora <utilities@stoneridgeidaho.com>; Theresa Wheat <theresa@kootenai.org>; Tim Ventress <chventresswplvfd@hotmail.com>; Timberlake Fire District <Kwright@timberlakefire.com>; Tom Renzi <epfldchief@gmail.com>; US Fish & Wildlife Services <fw1idahoconsultationrequests@fws.gov>; meagan <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>

Cc: David Fisher <david.fisher@bonnercountyid.gov>; Jeannie Welter <jeannie.welter@bonnercountyid.gov>; Alexander Feyen <alexander.feyen@bonnercountyid.gov>

Subject: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1st Addition - Noticing 2.12.26

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

The above-named application has been submitted to the Bonner County Planning Department for processing.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections. Please see attached for details.

Thank you,

Janna Brown, Administrative Assistant III

Bonner County Planning Department

208-265-1458 ext - 1252

Now Live: Apply for Your Building Location Permit Online!

We're making building easier! You can now apply for your **Building Location Permit** quickly and securely through our **new citizen online portal**, available 24/7 from the comfort of your home or office. You can also apply on one of the kiosks provided in the Planning Department office, located in the County Administrative Building, Suite 208.

Fast & easy application process

Track your permit status in real time

Upload documents directly

Visit <https://bonnercountyid-energovweb.tylerhost.net/apps/selfservice#/home> to get started today!

Online Application Guide

Effective July 1, 2025, all Building Location Permits must be applied for through the online citizen portal and we will no longer be accepting applications sent via email or printed paper applications. Have questions? Call 208-265-1458, our team is ready to help.

Build smarter. Apply online.



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] RE: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1st Addition - Noticing 2.12.26

1 message

Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>
To: Bonner County Planning <planning@bonnercountyid.gov>

Fri, Mar 6, 2026 at 1:08 PM

Hi Janna,

The Idaho Department of Fish and Game does not have any comments to submit for this application.

Thank you for the opportunity to review and comment,

Merritt Horsmon

Regional Technical Assistance Manager

Panhandle Region

2885 W. Kathleen Ave.

Coeur d'Alene, ID 83815

208.769.1414 office

208.251.4509 mobile

merritt.horsmon@idfg.idaho.gov**From:** Bonner County Planning <planning@bonnercountyid.gov>**Sent:** Thursday, February 12, 2026 11:07 AM**To:** Alan Brinkmeier <alan.brinkmeier@bonnercountyid.gov>; Amber Burgess <clerk@ebsewerdistrict.com>; Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Avista Copr - Jay West <jay.west@avistacorp.com>; Avista Corp - Peggy George <peggy.george@avistacorp.com>; Becky Meyer <becky.meyer@lposd.org>; Bill Berg <billb@bbsewer.org>; Bonner County Assessors <assessorsgroup@bonnercountyid.gov>; BONNER COUNTY HISTORICAL SOCIETY AND MUSEUM <DIRECTOR@bonnercountyhistory.org>; Bonner County Solid Waste <solidwaste@bonnercountyid.gov>; Bonnie Schademan <bonnies@inlandpower.com>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quaylelanduseconsulting@gmail.com>; Carrol Stejer <CASTEJER@gmail.com>; charityhinshaw@sd83.org; Chief Debbie Carpenter <chief@spirittlakefire.com>; City of Clark Fork <CityClerk1@clarkforkidaho.gov>; City of Dover <cityclerk@cityofdoveridaho.org>; City of East Hope Franck <easthope.city@gmail.com>; City of Hope

<hopecityclerk@gmail.com>; City of Oldtown <cityofoldtown@hotmail.com>; City of Sandpoint Planning <cityplanning@sandpointidaho.gov>; cityclerk@spiritlakeid.gov; Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>; Craig Hill <craighill@hillsresort.com>; D1Permits <D1Permits@itd.idaho.gov>; dbrown@idl.idaho.gov; Dan Scholz <dan.scholz@nli.coop>; Dave Schuck <dave.schuck@bonnercountyid.gov>; David LaTourette <coolinfirechief@gmail.com>; David LaTourette <Coolinfidchief@gmail.com>; Dean Davis <deandavis@sd83.org>; East Bonner Library <Amanda@ebonnerlibrary.org>; East Priest Lake Fire District <eastpriestlakefd@gmail.com>; Erik Sjoquist <esjoquist@idl.idaho.gov>; Federal Aviation Administration <Heather.pate@faa.gov>; Frankie Dunn <frankiejdunn@hotmail.com>; Fritz Broschet <outletbaysewer@gmail.com>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>; Dan Everhart <Dan.Everhart@ishs.idaho.gov>; DEQ Comments <deqcomments@deq.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; Robert Beachler <robert.beachler@itd.idaho.gov>; ITD - Stacy Simkins <stacy.simkins@itd.idaho.gov>; Jack Schenck <Jack.schenck@vyvebb.com>; Jake Gabell <jgabell@priestriver-id.gov>; Janice Best <janicesb@televar.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Jason Kimberling <jason.kimberling@itd.idaho.gov>; Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Jessie Roe <BWSD637@gmail.com>; joekren@sd83.org; Jordan Brooks <coolinsewer@gmail.com>; KayLeigh Miller <klmiller@ponderay.org>; kbsd sewer <kbsdpl@hotmail.com>; Ken Flint <ken_flint@tcenergy.com>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kim Hoodenpyle <kjh5345@gmail.com>; Kim Spacek <kimspacek@sd83.org>; Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>; Laclede Water District <info@lacedewaterdistrict.org>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; Bates, Luke <Luke.Bates@idwr.idaho.gov>; Matt Diel <matt.diel@lposd.org>; Midas Water <midaswatercorp@gmail.com>; Mike Ahmer <mahmer@idl.idaho.gov>; Mike Schacht <firedept@clarkforkidaho.gov>; Natural Resource Conservation Service - Greg Becker <greg.becker@id.usda.gov>; Navy - Glynis Casey <glynis.casey@navy.mil>; North of the Narrows Fire District <northofthenarrowsfire@gmail.com>; Northern Info <northerninfo@idwr.idaho.gov>; Northern Lights <kristin.mettke@nli.coop>; Northern Lights - Clint Brewing <clint.brewington@nli.coop>; Northside Water and Syringa Heights Water Association <allwater49@outlook.com>; Oden Water Association - Carla Poelstra <odenwater@gmail.com>; Pend Oreille Hospital District <kim.kichenmaster@bonnergeneral.org>; PHD <EHapplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Richard Hash <Rich.hash2022@gmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ryan Zandhuisen <rzandhuisen@idl.idaho.gov>; Sagle Valley Water and Sewer District <saglewatersewer@gmail.com>; Sagle Valley Water & Sewer District <markc@smartplugs.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; Sam Ross <sam.ross@nli.coop>; Sarah Gilmore <sgilmore@sandpointidaho.gov>; School District 84 Transportation - James Koehler <james.koehler@lposd.org>; SCHWEITZER FIRE DISTRICT <SchweitzerFireDistrict@gmail.com>; Selkirk Association of Realtors <danielle@selkirkaor.com>; Selkirk Recreation District <elgar@whoi.edu>; Sheryl Austin <granitereeder@gmail.com>; SOURDOUGH POINT OWNERS ASSOCIATION <sourdoughpoint@hotmail.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Steve Elgar <selgar@mac.com>; Superintendent School Dist 84 <kelly.fisher@lposd.org>; Symone.legg@itd.idaho.gov; Tammy Miller <tmillier@selkirkfire.com>; Tammy Miller <tmillier@selkirkfire.us>; TC Energy / TransCanada <US_crossings@tcenergy.com>; Teresa Decker <Huckleberryhoa@gmail.com>; Teresa Decker <huckbayutilities01@gmail.com>; Teresa Zamora <utilities@stoneridgeidaho.com>; Theresa Wheat <theresa@kootenai.org>; Tim Ventress <chventresswplvfd@hotmail.com>; Timberlake Fire District <Kwright@timberlakefire.com>; Tom Renzi <epfldchief@gmail.com>; US Fish & Wildlife Services <fw1idahoconsultationrequests@fws.gov>; meagan <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>

Cc: David Fisher <david.fisher@bonnercountyid.gov>; Jeannie Welter <jeannie.welter@bonnercountyid.gov>; Alexander Feyen <alexander.feyen@bonnercountyid.gov>

Subject: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1st Addition - Noticing 2.12.26

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

The above-named application has been submitted to the Bonner County Planning Department for processing.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections. Please see attached for details.

Thank you,

Janna Brown, Administrative Assistant III

Bonner County Planning Department

208-265-1458 ext - 1252

Now Live: Apply for Your Building Location Permit Online!

We're making building easier! You can now apply for your **Building Location Permit** quickly and securely through our **new citizen online portal**, available 24/7 from the comfort of your home or office. You can also apply on one of the kiosks provided in the Planning Department office, located in the County Administrative Building, Suite 208.

Fast & easy application process

Track your permit status in real time

Upload documents directly

Visit <https://bonnercountyid-energovweb.tylerhost.net/apps/selfservice#/home> to get started today!

[Online Application Guide](#)

Effective July 1, 2025, all Building Location Permits must be applied for through the online citizen portal and we will no longer be accepting applications sent via email or printed paper applications. Have questions? Call 208-265-1458, our team is ready to help.

Build smarter. Apply online.



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] RE: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1st Addition - Noticing 2.12.26

1 message

Bates, Luke <Luke.Bates@idwr.idaho.gov>

Fri, Feb 13, 2026 at 9:17 AM

To: Bonner County Planning <planning@bonnercountyid.gov>

Cc: Jake Weimer <jakeweimer10@gmail.com>, Jeremy grimm <jeremy@whiskeyrockplanning.com>

REF: File SS0005-25

TO: Bonner County Planning Department

Jake Weimer for Sanborn Creek Ventures LLC - Applicant

Jeremy Grimm, Whiskey Rock Planning & Consulting - Representative

Good afternoon,

Idaho Department of Water Resources (IDWR) – Northern Regional Office offers the following comments:

- The Short Plat Application for Priest River Pines 1st Addition contemplates 4 lots after minor land division within Bonner County that would result in potential new individual ground water well(s) that do not have established water rights to serve residential parcel(s). For any ground water source use(s) which shall exceed water uses authorized in Idaho Code §42-111 following project completion: a new Application for Permit is required prior to the diversion of water, and the property owner(s) may contact IDWR to discuss water right requirements.
- Any water use development that contemplates diversion of surface water source(s) (River, Stream, Spring) require an approved Water Permit prior to the diversion of water in accordance with Idaho Code §42-351.
- **IDWR has no conditional requirements to the proposal at this time.**

Thank you for the opportunity to comment,

Luke Bates – Sr Water Resource Agent

Idaho Department of Water Resources

Northern Regional Office

7600 N Mineral Dr Suite 100 Coeur D Alene ID 83815-7763

From: Bonner County Planning <planning@bonnercountyid.gov>

Sent: Thursday, February 12, 2026 11:07 AM

To: Alan Brinkmeier <alan.brinkmeier@bonnercountyid.gov>; Amber Burgess <clerk@ebsewerdistrict.com>; Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Avista Copr - Jay West <jay.west@avistacorp.com>; Avista Corp - Peggy George <peggy.george@avistacorp.com>; Becky Meyer <becky.meyer@lposd.org>; Bill Berg <billb@bbsewer.org>; Bonner County Assessors <assessorsgroup@bonnercountyid.gov>; BONNER COUNTY HISTORICAL SOCIETY AND MUSEUM <DIRECTOR@bonnercountyhistory.org>; Bonner County Solid Waste <solidwaste@bonnercountyid.gov>; Bonnie Schademan <bonnies@inlandpower.com>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quaylelanduseconsulting@gmail.com>; Carrol Stejer <CASTEJER@gmail.com>; charityhinshaw@sd83.org; Chief Debbie Carpenter <chief@spiritleakefire.com>; City of Clark Fork <CityClerk1@clarkforkidaho.gov>; City of Dover <cityclerk@cityofdoveridaho.org>; City of East Hope Franck <easthope.city@gmail.com>; City of Hope <hopecityclerk@gmail.com>; City of Oldtown <cityofoldtown@hotmail.com>; City of Sandpoint Planning <cityplanning@sandpointidaho.gov>; cityclerk@spiritleakeid.gov; Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>; Craig Hill <craighill@hillsresort.com>; D1Permits <D1Permits@itd.idaho.gov>; dbrown@idl.idaho.gov; Dan Scholz <dan.scholz@nli.coop>; Dave Schuck <dave.schuck@bonnercountyid.gov>; David LaTourette <coolinfirechief@gmail.com>; David LaTourette <Coolinfchief@gmail.com>; Dean Davis <deandavis@sd83.org>; East Bonner Library <Amanda@ebonnerlibrary.org>; East Priest Lake Fire District <eastpriestlakefd@gmail.com>; Erik Sjoquist <esjoquist@idl.idaho.gov>; Federal Aviation Administration <Heather.pate@faa.gov>; Frankie Dunn <frankiejdunn@hotmail.com>; Fritz Broschet <outletbaysewer@gmail.com>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>; Dan Everhart <Dan.Everhart@ishs.idaho.gov>; DEQ Comments <deqcomments@deq.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; Robert Beachler <robert.beachler@itd.idaho.gov>; ITD - Stacy Simkins <stacy.simkins@itd.idaho.gov>; Jack Schenck <Jack.schenck@vyvebb.com>; Jake Gabell <jgabell@priestriver-id.gov>; Janice Best <janicesb@televar.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Jason Kimberling <jason.kimberling@itd.idaho.gov>; Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Jessie Roe <BWSD637@gmail.com>; joekren@sd83.org; Jordan Brooks <coolinsewer@gmail.com>; KayLeigh Miller <klmiller@ponderay.org>; kbsd sewer <kbsdpl@hotmail.com>; Ken Flint <ken_flint@tcenergy.com>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kim Hoodenpyle <kjh5345@gmail.com>; Kim Spacek <kimspacek@sd83.org>; Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>; Laclede Water District <info@lacedewaterdistrict.org>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; Bates, Luke <Luke.Bates@idwr.idaho.gov>; Matt Diel <matt.diel@lposd.org>; Midas Water <midaswatercorp@gmail.com>; Mike Ahmer <mahmer@idl.idaho.gov>; Mike Schacht <firedept@clarkforkidaho.gov>; Natural Resource Conservation Service - Greg Becker <greg.becker@id.usda.gov>; Navy - Glynis Casey <glynis.casey@navy.mil>; North of the Narrows Fire District <northofthenarrowsfire@gmail.com>; Northern Info <northerninfo@idwr.idaho.gov>; Northern Lights <kristin.mettke@nli.coop>; Northern Lights - Clint Brewing <clint.brewington@nli.coop>; Northside Water and Syringa Heights Water Association <allwater49@outlook.com>; Oden Water Association - Carla Poelstra <odenwater@gmail.com>; Pend Oreille Hospital District <kim.kichenmaster@bonnergeneral.org>; PHD <EHApplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Richard Hash <Rich.hash2022@gmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ryan Zandhuisen <rzandhuisen@idl.idaho.gov>; Sagle Valley Water and Sewer District <saglewatersewer@gmail.com>; Sagle Valley Water & Sewer District <markc@smartplugs.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; Sam Ross <sam.ross@nli.coop>; Sarah Gilmore <sgilmore@sandpointidaho.gov>; School District 84 Transportation - James Koehler <james.koehler@lposd.org>; SCHWEITZER FIRE DISTRICT <SchweitzerFireDistrict@gmail.com>; Selkirk Association of Realtors <danielle@selkirkaor.com>; Selkirk Recreation District <elgar@whoi.edu>; Sheryl Austin

<granitereeder@gmail.com>; SOURDOUGH POINT OWNERS ASSOCIATION <sourdoughpoint@hotmail.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Steve Elgar <selgar@mac.com>; Superintendent School Dist 84 <kelly.fisher@lposd.org>; Symone.legg@itd.idaho.gov; Tammy Miller <tmiller@selkirkfire.com>; Tammy Miller <tmiller@selkirkfire.us>; TC Energy / TransCanada <US_crossings@tcenergy.com>; Teresa Decker <Huckleberryhoa@gmail.com>; Teresa Decker <huckbayutilities01@gmail.com>; Teresa Zamora <utilities@stoneridgeidaho.com>; Theresa Wheat <theresa@kootenai.org>; Tim Ventress <chventresswplvfd@hotmail.com>; Timberlake Fire District <Kwright@timberlakefire.com>; Tom Renzi <eplfdchief@gmail.com>; US Fish & Wildlife Services <fw1idahoconsultationrequests@fws.gov>; meagan <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>
Cc: David Fisher <david.fisher@bonnercountyid.gov>; Jeannie Welter <jeannie.welter@bonnercountyid.gov>; Alexander Feyen <alexander.feyen@bonnercountyid.gov>
Subject: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1st Addition - Noticing 2.12.26

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

The above-named application has been submitted to the Bonner County Planning Department for processing.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections. Please see attached for details.

Thank you,

Janna Brown, Administrative Assistant III

Bonner County Planning Department

208-265-1458 ext - 1252

Now Live: Apply for Your Building Location Permit Online!

We're making building easier! You can now apply for your **Building Location Permit** quickly and securely through our **new citizen online portal**, available 24/7 from the comfort of your home or office. You can also apply on one of the kiosks provided in the Planning Department office, located in the County Administrative Building, Suite 208.

Fast & easy application process

Track your permit status in real time

Upload documents directly

Visit <https://bonnercountyid-energovweb.tylerhost.net/apps/selfservice#/home> to get started today!

Online Application Guide

Effective July 1, 2025, all Building Location Permits must be applied for through the online citizen portal and we will no longer be accepting applications sent via email or printed paper applications. Have questions? Call 208-265-1458, our team is ready to help.

Build smarter. Apply online.



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] Re: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1st Addition - Noticing 2.12.26

1 message

Symone Legg <Symone.Legg@itd.idaho.gov>
To: Bonner County Planning <planning@bonnercountyid.gov>

Because this subdivision does not abut the state highway system, ITD has no comment. However, ITD would encourage the applicant to work with parcel no. RP56N05W219601A to per

Thank you,
Symone Legg | Project Coordinator
Idaho Transportation Department | D1 Traffic
Work: 208-772-8073 | 208.772.1297
Email: symone.legg@itd.idaho.gov | itd.idaho.gov

Enhancing quality of life through transportation

From: Bonner County Planning <planning@bonnercountyid.gov>
Sent: Thursday, February 12, 2026 11:07 AM
To: Alan Brinkmeier <alan.brinkmeier@bonnercountyid.gov>; Amber Burgess <clerk@ebsewerdistrict.com>; Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Av Peggy George <peggy.george@avistacorp.com>; Becky Meyer <becky.meyer@iposd.org>; Bill Berg <billb@bbsewer.org>; Bonner County Assessors <assessorsgroup@bonnerc MUSEUM <DIRECTOR@bonnercountyhistory.org>; Bonner County Solid Waste <solidwaste@bonnercountyid.gov>; Bonnie Schademan <bonnies@inlandpower.com>; Brenna <quaylelanduseconsulting@gmail.com>; Carrol Stejer <CASTEJER@gmail.com>; Charity Hinshaw <Charityhinshaw@sd83.org>; Chief Debbie Carpenter <chief@spiritlakefire Dover <cityclerk@cityofdoveridaho.org>; City of East Hope Franck <easthope.city@gmail.com>; City of Hope <hopecityclerk@gmail.com>; City of Oldtown <cityofoldtown@hotr <cityplanning@sandpointidaho.gov>; cityclerk@spiritlakeid.gov <cityclerk@spiritlakeid.gov>; Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>; Craig Hill < <D1Permits@itd.idaho.gov>; Dan Brown <dbrown@idl.idaho.gov>; Dan Scholz <dan.scholz@nli.coop>; Dave Schuck <dave.schuck@bonnercountyid.gov>; David LaTourette < <Coolinfdcchief@gmail.com>; Dean Davis <deandavis@sd83.org>; East Bonner Library <Amanda@ebonnerlibrary.org>; East Priest Lake Fire District <eastpriestlakefd@gmail.co Administration <Heather.pate@faa.gov>; Frankie Dunn <frankiejdunn@hotmail.com>; Fritz Broschet <outletbaysewer@gmail.com>; Garfield Bay Water and Sewer District Clerk < <ggilcrease@sandpointidaho.gov>; Horsmon,Merritt <merritt.horsmon@idfg.idaho.gov>; ID State Historical Society - Dan Everhart <dan.everhart@shs.idaho.gov>; Idaho Depa Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; Robert Beachler <Robert.Beachler@itd.idaho.gov>; Stacy Simkins <Stacy.Simkins@itd.idaho.gov>; Jack Schenck <Ja id.gov>; Janice Best <janicesb@televar.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Jason Kimberling <Jason.Kimberling@itd.idaho.gov>; Jeff Lindsey <jeff.lind <BWSD637@gmail.com>; Joe Kren <joekren@sd83.org>; Jordan Brooks <coolinsewer@gmail.com>; KayLeigh Miller <klmiller@ponderay.org>; kbsd sewer <kbsdpl@hotmail.c <kenny.huston@oer.idaho.gov>; Kim Hoodenpyle <kjh5345@gmail.com>; Kim Spacek <kimspacek@sd83.org>; Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>; Laclede V School District #272 <cpursley@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; Luke Bates <luke.bates@idwr.idaho.gov>; Matt Diel <matt.diel@iposd.org>; Midas Water <mahmer@idl.idaho.gov>; Mike Schacht <firedept@clarkforkidaho.gov>; Natural Resource Conservation Service - Greg Becker <greg.becker@id.usda.gov>; Navy - Glynis Casey < <northofthenarrowsfire@gmail.com>; Northern Info <northerninfo@idwr.idaho.gov>; Northern Lights <kristin.mettke@nli.coop>; Northern Lights - Clint Brewing <clint.brewingtc Association <allwater49@outlook.com>; Oden Water Association - Carla Poelstra <odenwater@gmail.com>; Pend Oreille Hospital District <kim.kichenmaster@bonnergeneral.org Library District <plplibrary@hotmail.com>; Richard Hash <Rich.hash2022@gmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ryan Zandhuisen <rz; <saglewaterssewer@gmail.com>; Sagle Valley Water & Sewer District <markc@smartplugs.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; Sam Ross < <sgilmore@sandpointidaho.gov>; School District 84 Transportation - James Koehler <james.koehler@iposd.org>; SCHWEITZER FIRE DISTRICT <SchweitzerFireDistrict@gmail.cor Selkirk Recreation District <elgar@whoi.edu>; Sheryl Austin <granitereeder@gmail.com>; SOURDOUGH POINT OWNERS ASSOCIATION <sourdoughpoint@hotmail.com>; Southsid Steve Elgar <selgar@mac.com>; Superintendent School Dist 84 <kelly.fisher@iposd.org>; Symone Legg <Symone.Legg@itd.idaho.gov>; Tammy Miller <tmiller@selkirkfire.com> <US_crossings@tcenergy.com>; Teresa Decker <Huckleberryhoa@gmail.com>; Teresa Decker <huckbayutilities01@gmail.com>; Teresa Zamora <utilities@stoneridgeidaho.co <chventresswplvfd@hotmail.com>; Timberlake Fire District <Kwright@timberlakefire.com>; Tom Renzi <epf1dchief@gmail.com>; US Fish & Wildlife Services <fw1idahoconsultat <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpof1@gmail.com>
Cc: David Fisher <david.fisher@bonnercountyid.gov>; Jeannie Welter <jeannie.welter@bonnercountyid.gov>; Alexander Feyen <alexander.feyen@bonnercountyid.gov>
Subject: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1st Addition - Noticing 2.12.26

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize any with any concerns.

The above-named application has been submitted to the Bonner County Planning Department for processing.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections. Please see attached for details.

Thank you,
Janna Brown, Administrative Assistant III
Bonner County Planning Department
208-265-1458 ext - 1252

Now Live: Apply for Your Building Location Permit Online!

We're making building easier! You can now apply for your **Building Location Permit** quickly and securely through our **new citizen online portal**, available 24/7 from the comfort of your home Planning Department office, located in the County Administrative Building, Suite 208.

- Fast & easy application process
- Track your permit status in real time
- Upload documents directly

Visit <https://bonnercountyid-energovweb.tylerhost.net/apps/selfservice#/home> to get started today!

Online Application Guide

Effective July 1, 2025, all Building Location Permits must be applied for through the online citizen portal and we will no longer be accepting applications sent via email or printed paper applica

2/17/26, 10:09 AM

Bonner County Mail - [EXT SENDER] Re: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1...

Build smarter. Apply online.



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] RE: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1st Addition - Noticing 2.12.26

1 message

Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>
To: Bonner County Planning <planning@bonnercountyid.gov>

Thu, Feb 12, 2026 at 12:38 PM

Hello. The existing access is unpermitted and need to be permitted as a multifamily approach. In addition, there should be easements in place to use the existing approach.

Have a nice day!



Kimberly Hobson

Project Coordinator

Innovation Steward

District 1

Work: 208.772.8079

Email: kimberly.hobson@itd.idaho.gov

Website: itd.idaho.gov

Work schedule: M-W-Th-F 6AM- 4:30 PM

From: Bonner County Planning <planning@bonnercountyid.gov>

Sent: Thursday, February 12, 2026 11:07 AM

To: Alan Brinkmeier <alan.brinkmeier@bonnercountyid.gov>; Amber Burgess <clerk@ebsewerdistrict.com>; Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Avista Copr - Jay West <jay.west@avistacorp.com>; Avista Corp - Peggy George <peggy.george@avistacorp.com>; Becky Meyer <becky.meyer@lposd.org>; Bill Berg <billb@bbsewer.org>; Bonner County Assessors <assessorsgroup@bonnercountyid.gov>; BONNER COUNTY HISTORICAL SOCIETY AND MUSEUM <DIRECTOR@bonnercountyhistory.org>; Bonner County Solid Waste <solidwaste@bonnercountyid.gov>; Bonnie Schademan <bonnies@inlandpower.com>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quaylelanduseconsulting@gmail.com>; Carrol Stejer <CASTEJER@gmail.com>; Charity Hinshaw <Charityhinshaw@sd83.org>; Chief Debbie Carpenter <chief@spiritlakefire.com>; City of Clark Fork <CityClerk1@clarkforkidaho.gov>; City of Dover <cityclerk@cityofdoveridaho.org>; City of East Hope Franck <easthope.city@gmail.com>; City of Hope <hopecityclerk@gmail.com>; City of Oldtown <cityofoldtown@hotmail.com>; City of Sandpoint Planning <cityplanning@sandpointidaho.gov>;

cityclerk@spirittlakeid.gov; Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>; Craig Hill <craighill@hillsresort.com>; D1Permits <D1Permits@itd.idaho.gov>; Dan Brown <dbrown@idl.idaho.gov>; Dan Scholz <dan.scholz@nli.coop>; Dave Schuck <dave.schuck@bonnercountyid.gov>; David LaTourette <coolinfirechief@gmail.com>; David LaTourette <Coolinfdchief@gmail.com>; Dean Davis <deandavis@sd83.org>; East Bonner Library <Amanda@ebonnerlibrary.org>; East Priest Lake Fire District <eastpriestlakefd@gmail.com>; Erik Sjoquist <esjoquist@idl.idaho.gov>; Federal Aviation Administration <Heather.pate@faa.gov>; Frankie Dunn <frankiejdunn@hotmail.com>; Fritz Broschet <outletbaysewer@gmail.com>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>; ID State Historical Society - Dan Everhart <dan.everhart@ishs.idaho.gov>; Idaho Department of Environmental Quality <deqcomments@deq.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; Robert Beachler <Robert.Beachler@itd.idaho.gov>; Stacy Simkins <Stacy.Simkins@itd.idaho.gov>; Jack Schenck <Jack.schenck@vyvebb.com>; Jake Gabell <jgabell@priestriver-id.gov>; Janice Best <janicesb@televar.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Jason Kimberling <Jason.Kimberling@itd.idaho.gov>; Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Jessie Roe <BWSD637@gmail.com>; Joe Kren <joeKren@sd83.org>; Jordan Brooks <coolinsewer@gmail.com>; KayLeigh Miller <klmiller@ponderay.org>; kbsd sewer <kbsdpl@hotmail.com>; Ken Flint <ken_flint@tcenergy.com>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kim Hoodenpyle <kjh5345@gmail.com>; Kim Spacek <kimspacek@sd83.org>; Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>; Laclede Water District <info@lactedewaterdistrict.org>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; Luke Bates <luke.bates@idwr.idaho.gov>; Matt Diel <matt.diel@lposd.org>; Midas Water <midaswatercorp@gmail.com>; Mike Ahmer <mahmer@idl.idaho.gov>; Mike Schacht <firedept@clarkforkidaho.gov>; Natural Resource Conservation Service - Greg Becker <greg.becker@id.usda.gov>; Navy - Glynis Casey <glynis.casey@navy.mil>; North of the Narrows Fire District <northofthenarrowsfire@gmail.com>; Northern Info <northerninfo@idwr.idaho.gov>; Northern Lights <kristin.mettke@nli.coop>; Northern Lights - Clint Brewing <clint.brewington@nli.coop>; Northside Water and Syringa Heights Water Association <allwater49@outlook.com>; Oden Water Association - Carla Poelstra <odenwater@gmail.com>; Pend Oreille Hospital District <kim.kichenmaster@bonnergeneral.org>; PHD <EHApplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Richard Hash <Rich.hash2022@gmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ryan Zandhuisen <rzandhuisen@idl.idaho.gov>; Sagle Valley Water and Sewer District <saglewatersewer@gmail.com>; Sagle Valley Water & Sewer District <markc@smartplugs.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; Sam Ross <sam.ross@nli.coop>; Sarah Gilmore <sgilmore@sandpointidaho.gov>; School District 84 Transportation - James Koehler <james.koehler@lposd.org>; SCHWEITZER FIRE DISTRICT <SchweitzerFireDistrict@gmail.com>; Selkirk Association of Realtors <danielle@selkirkaor.com>; Selkirk Recreation District <elgar@whoi.edu>; Sheryl Austin <granitereeder@gmail.com>; SOURDOUGH POINT OWNERS ASSOCIATION <sourdoughpoint@hotmail.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Steve Elgar <selgar@mac.com>; Superintendent School Dist 84 <kelly.fisher@lposd.org>; Symone Legg <Symone.Legg@itd.idaho.gov>; Tammy Miller <tmiller@selkirkfire.com>; Tammy Miller <tmiller@selkirkfire.us>; TC Energy / TransCanada <US_crossings@tcenergy.com>; Teresa Decker <Huckleberryhoa@gmail.com>; Teresa Decker <huckbayutilities01@gmail.com>; Teresa Zamora <utilities@stoneridgeidaho.com>; Theresa Wheat <theresa@kootenai.org>; Tim Ventress <chventresswplvfd@hotmail.com>; Timberlake Fire District <Kwright@timberlakefire.com>; Tom Renzi <epfldchief@gmail.com>; US Fish & Wildlife Services <fw1idahoconsultationrequests@fws.gov>; West Bonner Library <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>

Cc: David Fisher <david.fisher@bonnercountyid.gov>; Jeannie Welter <jeannie.welter@bonnercountyid.gov>; Alexander Feyen <alexander.feyen@bonnercountyid.gov>

Subject: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1st Addition - Noticing 2.12.26

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

The above-named application has been submitted to the Bonner County Planning Department for processing.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections. Please see attached for details.

Thank you,

Janna Brown, Administrative Assistant III

Bonner County Planning Department

208-265-1458 ext - 1252

Now Live: Apply for Your Building Location Permit Online!

We're making building easier! You can now apply for your **Building Location Permit** quickly and securely through our **new citizen online portal**, available 24/7 from the comfort of your home or office. You can also apply on one of the kiosks provided in the Planning Department office, located in the County Administrative Building, Suite 208.

Fast & easy application process

Track your permit status in real time

Upload documents directly

Visit <https://bonnercountyid-energovweb.tylerhost.net/apps/selfservice#/home> to get started today!

Online Application Guide

Effective July 1, 2025, all Building Location Permits must be applied for through the online citizen portal and we will no longer be accepting applications sent via email or printed paper applications. Have questions? Call 208-265-1458, our team is ready to help.

Build smarter. Apply online.



Janna Brown <janna.brown@bonnercountyid.gov>

RE: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1st Addition - Noticing 2.12.26

1 message

'KPSD Clerk' via Mail-Planning <planning@bonnercountyid.gov>
Reply-To: KPSD Clerk <clerk@kootenaiponderaysewerdistrict.org>
To: planning@bonnercountyid.gov

Tue, Feb 17, 2026 at 1:33 PM

Attached is the District's response to the above-named file.

Beate Pryor

Clerk - Administrative Assistant
Kootenai-Ponderay Sewer District
511 Whiskey Jack Road Sandpoint, ID 83864
Office Hours: 8:30 am – 5:00 pm, Monday through Thursday
Phone: 208.263.0229

From: Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>

Sent: Tuesday, February 17, 2026 12:34 PM

To: KPSD Clerk <clerk@kootenaiponderaysewerdistrict.org>

Subject: FW: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1st Addition - Noticing 2.12.26

NOTICE OF CHANGE IN HOURS: THE OFFICE WILL BE CLOSED ON FRIDAYS. WE WILL BE OPEN NORMAL HOURS MONDAY THRU THURSDAY.

Colleen Johnson

Business Office Manager

Kootenai-Ponderay Sewer District**208-263-0229 Fax – 208-265-5326 Mobile: 208-304-5820****511 Whiskey Jack Road Sandpoint, Idaho 83864****P.O. Box 562, Kootenai, ID 83840****“Dance with Life”****From:** Bonner County Planning <planning@bonnercountyid.gov>**Sent:** Thursday, February 12, 2026 11:07 AM

To: Alan Brinkmeier <alan.brinkmeier@bonnercountyid.gov>; Amber Burgess <clerk@ebsewerdistrict.com>; Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Avista Copr - Jay West <jay.west@avistacorp.com>; Avista Corp - Peggy George <peggy.george@avistacorp.com>; Becky Meyer <becky.meyer@lposd.org>; Bill Berg <billb@bbsewer.org>; Bonner County Assessors <assessorsgroup@bonnercountyid.gov>; BONNER COUNTY HISTORICAL SOCIETY AND MUSEUM <DIRECTOR@bonnercountyhistory.org>; Bonner County Solid Waste <solidwaste@bonnercountyid.gov>; Bonnie Schademan <bonnies@inlandpower.com>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quaylelanduseconsulting@gmail.com>; Carrol Stejer <CASTEJER@gmail.com>; Charity Hinshaw <Charityhinshaw@sd83.org>; Chief Debbie Carpenter <chief@spiritlakefire.com>; City of Clark Fork <CityClerk1@clarkforkidaho.gov>; City of Dover <cityclerk@cityofdoveridaho.org>; City of East Hope Franck <easthope.city@gmail.com>; City of Hope <hopecityclerk@gmail.com>; City of Oldtown <cityofoldtown@hotmail.com>; City of Sandpoint Planning <cityplanning@sandpointidaho.gov>; cityclerk@spiritlakeid.gov; Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>; Craig Hill <craighill@hillsresort.com>; D1Permits <D1Permits@itd.idaho.gov>; Dan Brown <dbrown@idl.idaho.gov>; Dan Scholz <dan.scholz@nli.coop>; Dave Schuck <dave.schuck@bonnercountyid.gov>; David LaTourette <coolinfirechief@gmail.com>; David LaTourette <Coolinfdchief@gmail.com>; Dean Davis <deandavis@sd83.org>; East Bonner Library <Amanda@ebonnerlibrary.org>; East Priest Lake Fire District <eastpriestlakefd@gmail.com>; Erik Sjoquist <esjoquist@idl.idaho.gov>; Federal Aviation Administration <Heather.pate@faa.gov>; Frankie Dunn <frankiejdunn@hotmail.com>; Fritz Broschet <outletbaysewer@gmail.com>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Horsmon,Merritt <merritt.horsmon@idfg.idaho.gov>; ID State Historical Society - Dan Everhart <dan.everhart@ishs.idaho.gov>; Idaho Department of Environmental Quality <deqcomments@deq.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; ITD - Robert Beachler <robert.beachler@itd.idaho.gov>; ITD - Stacy Simkins <stacy.simkins@itd.idaho.gov>; Jack Schenck <Jack.schenck@vyvebb.com>; Jake Gabell <jgabell@priestriver-id.gov>; Janice Best <janicesb@televar.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Jason Kimberling <jason.kimberling@itd.idaho.gov>; Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Jessie Roe <BWSD637@gmail.com>; Joe Kren <joekren@sd83.org>; Jordan Brooks <coolinsewer@gmail.com>; KayLeigh Miller <klmiller@ponderay.org>; kbsd sewer <kbsdpl@hotmail.com>; Ken Flint <ken_flint@tcenergy.com>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kim Hoodenpyle <kjh5345@gmail.com>; Kim Spacek <kimspacek@sd83.org>; Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>; Laclede Water District <info@lacledewaterdistrict.org>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; Luke Bates <luke.bates@idwr.idaho.gov>; Matt Diel <matt.diel@lposd.org>; Midas Water <midaswatercorp@gmail.com>; Mike Ahmer <mahmer@idl.idaho.gov>; Mike Schacht <firedept@clarkforkidaho.gov>; Natural Resource Conservation Service - Greg Becker <greg.becker@id.usda.gov>; Navy - Glynis Casey <glynis.casey@navy.mil>; North of the Narrows Fire District <northofthenarrowsfire@gmail.com>; Northern Info <northerninfo@idwr.idaho.gov>; Northern Lights <kristin.mettke@nli.coop>; Northern Lights - Clint Brewing <clint.brewington@nli.coop>; Northside Water and

Syringa Heights Water Association <allwater49@outlook.com>; Oden Water Association - Carla Poelstra <odenwater@gmail.com>; Pend Oreille Hospital District <kim.kichenmaster@bonnergeneral.org>; PHD <EHapplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Richard Hash <Rich.hash2022@gmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ryan Zandhuisen <rzandhuisen@idl.idaho.gov>; Sagle Valley Water and Sewer District <saglewatersewer@gmail.com>; Sagle Valley Water & Sewer District <markc@smartplugs.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; Sam Ross <sam.ross@nli.coop>; Sarah Gilmore <sgilmore@sandpointidaho.gov>; School District 84 Transportation - James Koehler <james.koehler@lposd.org>; SCHWEITZER FIRE DISTRICT <SchweitzerFireDistrict@gmail.com>; Selkirk Association of Realtors <danielle@selkirkaor.com>; Selkirk Recreation District <elgar@whoi.edu>; Sheryl Austin <granitereeder@gmail.com>; SOURDOUGH POINT OWNERS ASSOCIATION <sourdoughpoint@hotmail.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Steve Elgar <selgar@mac.com>; Superintendent School Dist 84 <kelly.fisher@lposd.org>; Symone.Legg@itd.idaho.gov; Tammy Miller <tmiller@selkirkfire.com>; Tammy Miller <tmiller@selkirkfire.us>; TC Energy / TransCanada <US_crossings@tcenergy.com>; Teresa Decker <Huckleberryhoa@gmail.com>; Teresa Decker <huckbayutilities01@gmail.com>; Teresa Zamora <utilities@stoneridgeidaho.com>; Theresa Wheat <theresa@kootenai.org>; Tim Ventress <chventresswplvfd@hotmail.com>; Timberlake Fire District <Kwright@timberlakefire.com>; Tom Renzi <eplfdchief@gmail.com>; US Fish & Wildlife Services <fw1idahoconsultationrequests@fws.gov>; West Bonner Library <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>

Cc: David Fisher <david.fisher@bonnercountyid.gov>; Jeannie Welter <jeannie.welter@bonnercountyid.gov>; Alexander Feyen <alexander.feyen@bonnercountyid.gov>

Subject: Bonner County Planning - SS0005-25 Agency Review - Short Plat - Priest River Pines 1st Addition - Noticing 2.12.26

The above-named application has been submitted to the Bonner County Planning Department for processing.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections. Please see attached for details.

Thank you,

Janna Brown, Administrative Assistant III

Bonner County Planning Department

208-265-1458 ext - 1252

Now Live: Apply for Your Building Location Permit Online!

We're making building easier! You can now apply for your **Building Location Permit** quickly and securely through our **new citizen online portal**, available 24/7 from the comfort of your home or office. You can also apply on one of the kiosks provided in the Planning Department office, located in the County Administrative Building, Suite 208.

Fast & easy application process

Track your permit status in real time

Upload documents directly

Visit <https://bonnercountyid-energovweb.tylerhost.net/apps/selfservice#/home> to get started today!

Online Application Guide

Effective July 1, 2025, all Building Location Permits must be applied for through the online citizen portal and we will no longer be accepting applications sent via email or printed paper applications. Have questions? Call 208-265-1458, our team is ready to help.

Build smarter. Apply online.

 **2026_02_SS0005-25 Short Plat.pdf**
214K

NOTICE OF AGENCY REVIEW



I hereby certify that a true and correct copy of this "Notice of Agency Review" was digitally transmitted or mailed (postage prepaid) on this **12th** day of **February 2026**.

Jenna Brown

Jenna Brown, Administrative Assistant III

This notice was mailed to political subdivisions, property owners within 300 feet of the subject property, and the media on **Thursday, February 12, 2026**.

File SS0005-25 – Short Plat – Priest River Pines 1st Addition: Applicant is requesting to divide one (1) approximate 20-acre parcel into four (4) approximate 4.95-acre lots. The property is zoned Rural 5. The project is located off Daytona Drive in Priest River, generally located in Sections 22, Township 56 North, Range 5 West, Boise-Meridian, Idaho. The project site is within the service area of West Pend Oreille Fire District. On October 1, 2025 the Bonner County Planning Department administratively continued this file until January 21, 2026.

To review this application, go to the Planning Department web site at bonnercountyid.gov/current-projects. If you experience difficulties visiting the project web page, try an alternative browser (Mozilla Firefox or Google Chrome) for access. If you prefer to receive hard copies of the application or have any difficulties reaching this web site, please contact the planning department as soon as possible.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections by **March 16, 2026**. If your agency requires any additional information from the applicant, please advise the planning department in writing allowing ample time for applicant response. All comments will be forwarded to the applicant and representatives. If no response is provided, staff will conclude your agency has no objections to the project or recommended conditions.

If you have no comment or response, you may indicate below and return this form to the Planning Department.

NO COMMENT Kootenai-Ponderay Sewer District 2/17/2026
Name Date
Out of boundaries.



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] SS0005-25-SHORT PLAT-PRIEST RIVER PINES 1ST ADDITION

1 message

Denis Twohig <dtwohig@phd1.idaho.gov>
To: Bonner County Planning <planning@bonnercountyid.gov>

Fri, Feb 13, 2026 at 9:34 AM



Denis Twohig | Technical Records Specialist 1
 2101 W Pine St. Sandpoint, ID 83864
 P: 208.265.6384
 E: ehapplications@phd1.idaho.gov
 W: Panhandlehealthdistrict.org

IMPORTANT: The information contained in this email may be privileged, confidential or otherwise protected from disclosure.

All persons are advised that they may face penalties under state and federal law for sharing this information with unauthorized individuals.

If you received this email in error, please reply to the sender that you received this information in error.

Also, please delete this email after replying to the sender.

 **SS0005-25-SHORT PLAT-PRIEST RIVER PINES 1ST ADDITION.pdf**
528K



Panhandle Health District

Healthy People in Healthy Communities

Public Health

Prevent. Promote. Protect.

Panhandle Health District

February 13, 2026

Bonner County Planning Department

Attn: Janna Brown

Re: SS0005-25-Short Plat – Priest River Pines 1st Addition

Panhandle Health District (PHD) does not have any files associated with Priest River Pines 1st Addition. We recommend the applicant contact PHD to assess the septic feasibility of the proposed lots.

If this plat requires a signature from PHD, a land application will need to be submitted.

Amanda J Cerise

Registered Environmental Health Specialist

Panhandle Health District

Sandpoint – Bonner County
2101 W. Pine St.
Sandpoint, ID 83864
208.265.6384

NOTICE OF AGENCY REVIEW



I hereby certify that a true and correct copy of this "Notice of Agency Review" was digitally transmitted or mailed (postage prepaid) on this **12th** day of **February 2026**.

Janna Brown
Janna Brown, Administrative Assistant III

This notice was mailed to political subdivisions, property owners within 300 feet of the subject property, and the media on **Thursday, February 12, 2026**.

File SS0005-25 – Short Plat – Priest River Pines 1st Addition: Applicant is requesting to divide one (1) approximate 20-acre parcel into four (4) approximate 4.95-acre lots. The property is zoned Rural 5. The project is located off Daytona Drive in Priest River, generally located in Sections 22, Township 56 North, Range 5 West, Boise-Meridian, Idaho. The project site is within the service area of West Pend Oreille Fire District. On October 1, 2025 the Bonner County Planning Department administratively continued this file until January 21, 2026.

To review this application, go to the Planning Department web site at bonnercountyid.gov/current-projects. If you experience difficulties visiting the project web page, try an alternative browser (Mozilla Firefox or Google Chrome) for access. If you prefer to receive hard copies of the application or have any difficulties reaching this web site, please contact the planning department as soon as possible.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections by **March 16, 2026**. If your agency requires any additional information from the applicant, please advise the planning department in writing allowing ample time for applicant response. All comments will be forwarded to the applicant and representatives. If no response is provided, staff will conclude your agency has no objections to the project or recommended conditions.

If you have no comment or response, you may indicate below and return this form to the Planning Department.

NO COMMENT _____
Name Date