



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] V0002-25 Variance


1 message

Audrey Landingham <alandingham@phd1.idaho.gov>
To: "planning@bonnercountyid.gov" <planning@bonnercountyid.gov>


Thu, Mar 20, 2025 at 1:13 PM

 Public Health <small>Prevent. Promote. Protect.</small> Panhandle Health District	Audrey Landingham Technical Records Specialist 1 2101 W Pine St Sandpoint ID 83864 P: 208-265-6384 W: Panhandlehealthdistrict.org
--	--

IMPORTANT: The information contained in this email may be privileged, confidential or otherwise protected from disclosure. All persons are advised that they may face penalties under state and federal law for sharing this information with unauthorized individuals. If you received this email in error, please reply to the sender that you received this information in error. Also, please delete this email after replying to the sender.

 **V0002-25-Variance.pdf**
271K

NOTICE OF PUBLIC HEARING



I hereby certify that a true and correct copy of this "Notice of Public Hearing" was digitally transmitted or mailed (postage prepaid) on this **18th** day of **March 2025**.

Jessica Montgomery

Jessica Montgomery, Hearing Coordinator

This notice was mailed to political subdivisions, property owners within 300 feet of the subject property, and the media on **Tuesday, March 18, 2025**.

NOTICE IS HEREBY GIVEN that the Bonner County Hearing Examiner will hold a public hearing at **1:30 pm** on **Wednesday, April 16, 2025** in the Bonner County Administration Building, 1500 Highway 2, Sandpoint, Idaho, by Zoom teleconference, and YouTube Livestream to consider the following request:

File V0002-25 - Variance - Lot Size Minimum

The applicant is requesting a parcel size of 3.77-acres where 10-acres is required for the purposes of a Boundary Line Adjustment. The 8.087-acre property is zoned Agricultural/Forestry 10. The project site is located off Hidden Meadow Lane in Section 12, Township 58 North, Range 02 West, Boise-Meridian.

For details regarding this application, Zoom teleconference, or YouTube livestream, visit the Planning Department web site at www.bonnercountyid.gov/departments/Planning. Staff reports are available online or may be viewed at the planning department approximately a week before the scheduled hearing.

Written statements must be submitted to the planning department record no later than seven (7) days prior to the public hearing. Written statements not exceeding one standard letter sized, single spaced page may be submitted at the public hearing. Statements can be sent to the Bonner County Planning Department at 1500 Highway 2, Suite 208, Sandpoint, Idaho 83864; faxed to 866-537-4935 or e-mailed to planning@bonnercountyid.gov. The referenced start time stated above reflects the beginning of the hearing. Specific file start time and hearing duration vary.

During the hearing for this application, the public will be given an opportunity to provide testimony and/or evidence regarding how the proposal does or does not comply with the applicable approval criteria of the Bonner County Revised Code. At the close of the public hearing, the governing body will make a decision on the application that may include, but is not limited to, approval, denial, remand, or continuance of the public hearing. Any person needing special accommodations to participate in the public hearing should contact the Bonner County Planning Department at (208) 265-1458 at least 48 hours prior to the scheduled hearing.

If you have no comment or response, you may indicate below and return this form to the Planning Department.

NO COMMENT

Name

T. Finner, P.H.D.

Date

3/20/2025

RECORD OF SURVEY
Boundary Line Adjustment

STILL AIN'T

Boundary Line Adjustment

SW1/4 SECTION 12

TOWNSHIP 58 NORTH, RANGE 2 WEST, B.M.

BONNER COUNTY, IDAHO

FOR
CALDWELL LIVING TRUST



THESE DE LA FACULTÉ DE MÉDECINE

[illegible]

STATEMENT OF WORK

[illegible]

THE HISTORY OF THE

at least 1000–2000 cells per μm^2 (Fig. 1). The cells were stained with toluidine blue, a metachromatic dye, and examined under a light microscope. The number of cells was counted in 10 fields of view (each field of view = 0.0625 mm²) and the mean value was calculated. The number of cells was counted in 10 fields of view (each field of view = 0.0625 mm²) and the mean value was calculated. The number of cells was counted in 10 fields of view (each field of view = 0.0625 mm²) and the mean value was calculated.

NOTATION: S, SHOWS CERTIFICATION

[illegible][illegible]

1. *Pharmaceutical Innovation and the Public Good*. By David M. Foray and Jacques Gans. Cambridge, MA: MIT Press, 2009. Pp. 304. \$45.00. ISBN 9780262014411.

J.R.S. SUPPLY, INC.

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED

THE UNIVERSITY OF CHICAGO PRESS

RECORD OF OFFICE

Cash	
Accounts Receivable	
Inventory	
Prepaid Expenses	
Fixed Assets	
Liabilities	
Equity	

[illegible]

Figure 1. Schematic representation of the experimental design. The subjects were divided into two groups: the control group and the experimental group. The control group was divided into two subgroups: the control group and the experimental group. The experimental group was divided into two subgroups: the control group and the experimental group. The control group was divided into two subgroups: the control group and the experimental group. The experimental group was divided into two subgroups: the control group and the experimental group.