



Bonner County Planning Department

"Protecting property rights and enhancing property value"

1500 Highway 2, Suite 208, Sandpoint, Idaho 83864

Phone: 208-265-1458

Email: planning@bonnercountyid.gov

Website: www.bonnercountyid.gov

ADMINISTRATIVE VARIANCE WRITTEN DECISION

FILE: VA0001-25 **DATE OF REPORT** March 11, 2025
PROJECT: **Approved** **APPLICATION DATE:** January 8, 2025
PARCEL No: RP59N02W242900A
APPLICANT: Dee Crocker
REPRESENTATIVE: Tyson Glahe, Glahe & Associates, Inc.
SUMMARY OF PROPOSAL: The applicant is requesting a depth to width ratio of 3.88:1 where 3.2:1 is required on two lots. The 15.970-acre property is zoned Rural 10 (R-10). The project site is located off Bearwood Lane in Section 24, Township 59 North, Range 02 West, Boise-Meridian.

DOES PROJECT CONFORM TO VARIANCE CRITERIA BCRC 12-23

A. Conditions apply to the property that do not apply generally to other properties in the same zone or vicinity, which conditions are a result of lot size, shape, topography, or other circumstances over which the applicant has no control.

APPLICANT: *The parcel is triangle shaped and bounded by two roads. The current formula used to calculate allowed depth to width puts two of the proposed parcels just outside of the allowable size.*

STAFF: The subject parcel contains mapped slopes of 0-30+%, mapped wetlands, and is within SFHA Zone AE and Shaded Zone X; however, none of these environmental features appear to have an effect on the variance request itself. Compared to other parcels in the vicinity, the subject parcel does have an irregular triangle shape that appears to be causing lot design issues when subdividing.

B. Special conditions and circumstances do not result from the actions of the applicant.

APPLICANT: *The parcel has existed in it's current shape for several years.*

STAFF: The applicants acquired the subject property on January 8th, 2021, via Warranty Deed Instrument #973873. There is no indication that the applicant has made any alterations to the size, shape, or topography of the parcel since its acquisition. The applicant is dividing this parcel through a Minor Land Division application, File #MLD0028-24.

C. The granting of the variance is not in conflict with the public interest in that it will not be detrimental to the public health, safety, or welfare, or materially injurious to properties or improvements in the vicinity of the subject parcel or lot.

APPLICANT: *Granting this variance will not impede any access or in any way be detrimental to the adjacent landowners.*

STAFF: No public comments or agency reviews were received that indicated this proposal would be detrimental to the public health, safety, or welfare, or materially injurious to properties or improvements in the vicinity of the subject parcel or .

AGENCY ROUTING

Agency routing memo sent: January 29, 2025

The following agencies were routed for review and comment:

Bonner County Floodplain Review - Email	<i>KS 03/10/2025: Parcel is within SFHA Zone X, Shaded Zone X, and Zone AE per FIRM Panel Number 16017C0485E, Effective Date 11/18/2009. This action will not result in an increase in base density in the floodplain. No further floodplain review is required on this proposal.</i>
Bonner Historical Society - U.S. Mail	<i>No Comment.</i>
Gas Transmission Northwest Corp. - U.S. Mail	<i>No impact.</i>
GIS Addressing	<i>MC 2/13/2025: No relevance to addressing</i>
Idaho Department of Environmental Quality (DEQ) - Email	<i>No comment.</i>
Idaho Department of Fish & Game - Email	<i>No Comment.</i>
Idaho Transportation Department-District I - Email	<i>No Comment.</i>
Kootenai-Ponderay Sewer District - Email	<i>No Comment.</i>
Northern Lights, Inc. - Email	<i>See comment.</i>
Panhandle Health District - Email	<i>See comment.</i>

PUBLIC COMMENT

Notice mailed:

January 29, 2025

No public comments were received at the time of this staff report.

FINDINGS OF FACT:

1. This proposal was reviewed for compliance with the criteria and standards set forth in BCRC 12-238 Administrative Variances, BCRC 12-234 Variances, Standards for Review of Applications, BCRC 12-400, et seq., and BCRC Density and Development Standards if affected by the variance.
2. The property is zoned Rural 5 (R-5)
3. The subject parcel is 15.970 acres.
4. The subject lot contains slopes from 0-30%+ (USGS).
5. A portion of the parcel to the south is within SFHA Zone AE and Shaded Zone X (FEMA).
6. The property does contain mapped wetlands (NHD).
7. The subject parcel is currently served by individual septic, individual wells, and is not within a fire department taxing district.
8. The applicants have applied for a Minor Land Division, File #MLD0028-24.

CONCLUSIONS OF LAW:

Based on the foregoing findings, the following conclusions are adopted. The proposed administrative variance is in accord with the purposes of Title 12. This action does not result in a taking of private property. The action that could be taken to obtain the administrative variance is to complete the Conditions of Approval as adopted.

1. This proposal was reviewed for compliance with the criteria and standards set forth at Sections 12-233 and 12-234, Bonner County Revised Code, storm water management criteria and standards set forth in Chapter 7, Title 12, Bonner County Revised Code, and variance criteria and standards set forth at Section 67-6516, Idaho Code.
2. Conditions apply to the property that **do not** apply generally to other properties in the same zone or vicinity, which conditions are a result of lot size, shape, topography, or other circumstances over which the applicant has no control.
3. Special conditions and circumstances **do not** result from the actions of the applicant.
4. The granting of the variance **is not** in conflict with the public interest in that it **will not** be detrimental to the public health, safety, or welfare, or materially injurious to properties or improvements in the vicinity of the subject parcel or lot. (Ord. 559, 1-4-2017)

CONDITIONS OF APPROVAL:

1. This variance shall not supersede deed restrictions.
2. Only the development highlighted on the site plan has been reviewed for variance standards. All other

development shown must comply with Bonner County Revised Code.

NOTICE OF ADMINISTRATIVE DECISION:

NOTE: This determination may be appealed to the Board of County Commissioners by notifying the Planning Director in writing of the intent to appeal within ten (10) working days from the date of the determination along with the applicable appeal fee of \$380. Upon receipt of an appeal, the Planning Director will schedule a meeting with the Board within ten (10) working days to hear the appeal and will provide written notice to the appellant of the time and place of the meeting. The Planning Director and appellant will be provided an opportunity to present the relevant issues to the Board at that meeting. The

Board's decision shall be final and further recourse of the appellant shall be to the Courts as provided by law. If no appeal to the Board is filed, the Planning Director's decision shall be deemed final. (BCRC, §12-261).

Following any final decision concerning a site-specific land use request, the applicant has a right to request a regulatory taking analysis pursuant to Section 67-8003, Idaho Code (*Idaho Code §67-6535(3)*).

Please contact this department if you have any questions.

Sincerely,

A handwritten signature in dark ink, appearing to read "Kyle J. Priddy", is written over a horizontal line.

Planning Department

Appendix A: Agency Record of Mailing

Appendix B: Agency/Public Comments

Appendix A: Agency Record of Mailing

RECORD OF MAILING


Page 1 of 1

File No.: VA0001-25

Record of Mailing Approved By:



I hereby certify that a true and correct copy of the "Notice of Public Hearing" was digitally transmitted or mailed (postage prepaid) on this **28th** day of **January 2025**.



Janna Brown, Administrative Assistant III

Assessor - Email

Bay Drive Recreation District - Email

Bonner County Airport Manager - Email

Bonner County EMS - Email

Bonner County Road & Bridge - Email

Bottle Bay Water & Sewer District - Email

City of Dover - Email

City of Hope - Email

City of Oldtown - Email

City of Priest River - Email

City of Spirit Lake - Email

Coolin-Cavanaugh Bay Fire District - Email

East Bonner Library - Email

Ellisport Bay Sewer - Email

GEM STATE MINER - U.S. Mail

Idaho Department of Environmental Quality (DEQ) - Email

Idaho Department of Lands - CDA - U.S. Mail

Idaho Department of Lands - Navigable Waters & Mining - Email

Idaho Department of Water Resources - IDWR - Email

Idaho Transportation Department- District I - Email

Kalispel Bay Sewer & Water - U.S. Mail

KPBX-FM 91 SPOKANE PUBLIC RADIO - U.S. Mail

Laclede Water District - Email

Lake Pend Oreille School District, #84 (Transportation) - Email

Little Blacktail Ranch Water Association - U.S. Mail

Northern Lights, Inc. - Email

Northside Fire District - Email

Panhandle Health District - Email

Priest Lake Public Library District - Email

Sagle Valley Water & Sewer - Email

Schweitzer Fire District - Email

Selkirk Fire, Rescue & EMS - Email

Southside Water & Sewer District - Email

Spokesman-Review - U.S. Mail

Swan Shores Sewer District - U.S. Mail

Tamarack Village Water & Sewer - U.S. Mail

Trestle Creek Sewer District - Email

U.S. Fish & Wildlife Service - Email

West Bonner County Cemetery District - Email

West Bonner Library - Email

West Pend Oreille Fire District - Email

Avista Utilities - Email

Bayview Water & Sewer - Email

BONNER COUNTY DAILY BEE - U.S. Mail

Bonner County Floodplain Review - Email

Bonner County Sheriff - Email

City of Clark Fork - Email

City of East Hope - Email

City of Kootenai - Email

City of Ponderay - Email

City of Sandpoint - Email

Coolin Sewer District - Email

Drainage District #7 - Email

East Priest Lake Fire District - Email

Garfield Bay Water & Sewer District - Email

Granite Reeder Water & Sewer District - Email

Idaho Department of Fish & Game - Email

Idaho Department of Lands - Coolin - Email

Idaho Department of Lands - Sandpoint - Email

Idaho Transportation Department (Aeronautics) - U.S. Mail

Independent Highway District - Email

Kootenai-Ponderay Sewer District - Email

KSPT-KPND-KIBR RADIO - U.S. Mail

Lake Pend Oreille School District, #84 (Admin Office) - Email

Lakeland Joint School District, #272 - Email

North of the Narrows Fire District - Email

Northland/Vyve Cable Television - Email

Outlet Bay Sewer District - Email

Pend Oreille Hospital District - Email

Priest Lake Translator District - Email

Sam Owen Fire District - Email

SELKIRK ASSOCIATION OF REALTORS - U.S. Mail

Selkirk Recreation District - Email

Spirit Lake Fire District - Email

State Historical Society - Email

Syringa Heights Water Association - Email

Timber Lake Fire District - Email

U.S. Army Corps of Engineers - Email

U.S. Forest Service - U.S. Mail

West Bonner County School District, #83 - Email

West Bonner Water & Sewer District - Email

West Priest Lake Fire District - Email

Appendix B: Agency/Public Comments



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] Re: Bonner County Planning - VA0001-25 Agency Review - Variance - Administrative - Depth to Width Ratio

1 message

Bonner County History Museum <hannah@bonnercountyhistory.org>

To: Bonner County Planning <planning@bonnercountyid.gov>

No comment

Hannah Combs

Executive Director

**BONNER COUNTY
HISTORICAL SOCIETY &
MUSEUM**
HISTORY CREATING COMMUNITY

Bonner County Historical Society & Museum

611 S. Ella Ave

Sandpoint, ID 83864

208.263.2344

www.bonnercountyhistory.orgOn Wed, Jan 29, 2025 at 11:17 AM Bonner County Planning <planning@bonnercountyid.gov> wrote:

The above-named application has been submitted to the Bonner County Planning Department for processing.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections. Please see attached for details

Thank you,
Janna Brown, Administrative Assistant III
Bonner County Planning Department
208-265-1458 ext - 1252



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] RE: Bonner County Planning - VA0001-25 Agency Review - Variance - Administrative - Depth to Width Ratio

1 message

DEQ Comments <deqcomments@deq.idaho.gov>

Fri, Feb 7, 2025 at 11:18 AM

To: Bonner County Planning <planning@bonnercountyid.gov>

Good Morning,

Thank you for providing the opportunity to comment. DEQ has no environmental impact comments for the project listed above at this stage of development.

Thank you,

Idaho Department of Environmental Quality
2110 Ironwood Parkway, Coeur d'Alene, Idaho 83814
Office Line: 208.769.1422

www.deq.idaho.gov

Our mission: To protect human health and the quality of Idaho's air, land, and water.

From: Bonner County Planning <planning@bonnercountyid.gov>

Sent: Wednesday, January 29, 2025 11:16 AM

To: Alan Brinkmeier <alan.brinkmeier@bonnercountyid.gov>; Amber Burgess <clerk@ebsewerdistrict.com>; Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Avista Copr - Jay West <jay.west@avistacorp.com>; Avista Corp - Peggy George <peggy.george@avistacorp.com>; Becky Meyer <becky.meyer@lposd.org>; Bill Berg <billb@bbsewer.org>; Bonner County Assessors <assessorsgroup@bonnercountyid.gov>; BONNER COUNTY HISTORICAL SOCIETY AND MUSEUM <DIRECTOR@bonnercountyhistory.org>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quaylelanduseconsulting@gmail.com>; Bell, Chace <Chace.Bell@idwr.idaho.gov>; Chief Debbie Carpenter <chief@spiritleakefire.com>; City of Clark Fork <city@clarkforkidaho.org>; City of Dover <cityclerk@cityofdoverydaho.org>; City of East Hope Franck <easthope.city@gmail.com>; City of Hope <hopecityclerk@gmail.com>; City of Oldtown <cityofoldtown@hotmail.com>; City of Priest River <layers@priestriver-id.gov>; City of Sandpoint Planning <cityplanning@sandpointidaho.gov>; cityclerk@spiritleakeid.gov; Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>; Connie Nelson <connien@inlandpower.com>; Coolin-Cavanaugh Bay Fire Protection District <coolinfirechief@gmail.com>; Craig Hill <craighill@hillsresort.com>; D1Permits <D1Permits@itd.idaho.gov>; dbrown@idl.idaho.gov; Dan McCracken <Dan.McCracken@deq.idaho.gov>; Dan Scholz <dan.scholz@nli.coop>; Dean Davis

<deandavis@sd83.org>; Kristie May <Kristie.May@deq.idaho.gov>; East Bonner Library <Amanda@ebonnerlibrary.org>; East Priest Lake Fire District <eastpriestlakefd@gmail.com>; Erik Sjoquist <esjoquist@idl.idaho.gov>; Federal Aviation Administration <Heather.pate@faa.gov>; Frankie Dunn <Frankiejduhn@hotmail.com>; Fritz Broschet <outletbaysewer@gmail.com>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>; Dan Everhart <Dan.Everhart@ishs.idaho.gov>; DEQ Comments <deqcomments@deq.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; Robert Beachler <robert.beachler@itd.idaho.gov>; ITD - Stacy Simkins <stacy.simkins@itd.idaho.gov>; Jack Schenck <Jack.schenck@vyvebb.com>; Janice Best <janicesb@televar.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Jason Kimberling <jason.kimberling@itd.idaho.gov>; Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Jessie Roe <BWSD637@gmail.com>; joe kren <sd83.org>; Jordan Brooks <coolinsewer@gmail.com>; Kayleigh Miller <klmiller@ponderay.org>; kbsd sewer <kbsdpl@hotmail.com>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kim Hoodenpyle <kjh5345@gmail.com>; Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>; Laclede Water District <info@lacedewaterdistrict.org>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; Matt Diel <matt.diel@lposd.org>; Midas Water <midaswatercorp@gmail.com>; Mike Ahmer <mahmer@idl.idaho.gov>; Mike Schacht <firedept@clarkforkidaho.org>; Natural Resource Conservation Service - Greg Becker <greg.becker@id.usda.gov>; Navy - Glynis Casey <glynis.casey@navy.mil>; North of the Narrows Fire District <Huckbay2501@gmail.com>; Northern Lights <kristin.mettke@nli.coop>; Northern Lights - Clint Brewing <clint.brewington@nli.coop>; Northside Water and Syringa Heights Water Association <allwater49@outlook.com>; Oden Water Association - Carla Poelstra <odenwater@gmail.com>; Pend Oreille Hospital District <kim.kichenmaster@bonnergeneral.org>; PHD <EHapplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Richard Hash <Rich.hash2022@gmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ryan Zandhuisen <rzandhuisen@idl.idaho.gov>; Sagle Valley Water and Sewer District <saglewatersewer@gmail.com>; Sagle Valley Water & Sewer District <markc@smartplugs.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; Sam Ross <sam.ross@nli.coop>; sandpointairport@gmail.com; Sarah Gilmore <sgilmore@sandpointidaho.gov>; School District 84 Transportation - James Koehler <james.koehler@lposd.org>; Selkirk Association of Realtors <danielle@selkirkaor.com>; Selkirk Recreation District <elgar@whoi.edu>; Sheryl Austin <granitereeder@gmail.com>; SOURDOUGH POINT OWNERS ASSOCIATION <sourdoughpoint@hotmail.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Spencer Newton <firedistrict@msn.com>; Steve Elgar <selgar@mac.com>; Superintendent School Dist 84 <kelly.fisher@lposd.org>; Symone.legg@itd.idaho.gov; TC Energy / TransCanada <US_crossings@tcenergy.com>; Teresa Decker <Huckleberryhoa@gmail.com>; Teresa Decker <huckbayutilities01@gmail.com>; Teresa Zamora <utilities@stoneridgeidaho.com>; Theresa Wheat <theresa@kootenai.org>; Tim Ventress <chventresswplvfd@hotmail.com>; Timberlake Fire District <Kwright@timberlakefire.com>; Tom Renzi <epifdchief@gmail.com>; US Fish & Wildlife Services <fw1idahoconsultationrequests@fws.gov>; West Bonner Library <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>
Cc: Kyle Snider <kyle.snider@bonnercountyid.gov>; Alexander Feyen <alexander.feyen@bonnercountyid.gov>
Subject: Bonner County Planning - VA0001-25 Agency Review - Variance - Administrative - Depth to Width Ratio

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

The above-named application has been submitted to the Bonner County Planning Department for processing.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections. Please see attached for details.

Thank you,

Janna Brown, Administrative Assistant III

Bonner County Planning Department

208-265-1458 ext - 1252



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] RE: Bonner County Planning - VA0001-25 Agency Review - Variance - Administrative - Depth to Width Ratio

1 message

Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>
To: Bonner County Planning <planning@bonnercountyid.gov>

Wed, Feb 26, 2025 at 3:02 PM

Hi Janna,

The Idaho Department of Fish and Game does not have any comments to submit for this application.

Thank you for the opportunity to review and comment,

Merritt Horsmon

Regional Technical Assistance Manager

Panhandle Region

2885 W. Kathleen Ave.

Coeur d'Alene, ID 83815

208.769.1414 office

208.251.4509 mobile

merritt.horsmon@idfg.idaho.gov**From:** Bonner County Planning <planning@bonnercountyid.gov>**Sent:** Wednesday, January 29, 2025 11:16 AM

To: Alan Brinkmeier <alan.brinkmeier@bonnercountyid.gov>; Amber Burgess <clerk@ebsewerdistrict.com>;
Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Avista Copr - Jay West
<jay.west@avistacorp.com>; Avista Corp - Peggy George <peggy.george@avistacorp.com>; Becky Meyer
<becky.meyer@lposd.org>; Bill Berg <billb@bbsewer.org>; Bonner County Assessors <assessorsgroup@bonnercountyid.gov>; BONNER COUNTY HISTORICAL SOCIETY AND MUSEUM

<DIRECTOR@bonnercountyhistory.org>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quaylelanduseconsulting@gmail.com>; Bell, Chace <Chace.Bell@idwr.idaho.gov>; Chief Debbie Carpenter <chief@spirittlakefire.com>; City of Clark Fork <city@clarkforkidaho.org>; City of Dover <cityclerk@cityofdoveridaho.org>; City of East Hope Franck <easthope.city@gmail.com>; City of Hope <hopecityclerk@gmail.com>; City of Oldtown <cityofoldtown@hotmail.com>; City of Priest River <layers@priestriver-id.gov>; City of Sandpoint Planning <cityplanning@sandpointidaho.gov>; cityclerk@spirittlakeid.gov; Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>; Connie Nelson <connien@inlandpower.com>; Coolin-Cavanaugh Bay Fire Protection District <coolinfirechief@gmail.com>; Craig Hill <craighill@hillsresort.com>; D1Permits <D1Permits@itd.idaho.gov>; dbrown@idl.idaho.gov; Dan McCracken <Dan.McCracken@deq.idaho.gov>; Dan Scholz <dan.scholz@nli.coop>; Dean Davis <deandavis@sd83.org>; Kristie May <Kristie.May@deq.idaho.gov>; East Bonner Library <Amanda@ebonnerlibrary.org>; East Priest Lake Fire District <eastpriestlakefd@gmail.com>; Erik Sjoquist <esjoquist@idl.idaho.gov>; Federal Aviation Administration <Heather.pate@faa.gov>; Frankie Dunn <Frankiejdunn@hotmail.com>; Fritz Broschet <outletbaysewer@gmail.com>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>; Dan Everhart <Dan.Everhart@ishs.idaho.gov>; DEQ Comments <deqcomments@deq.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; Robert Beachler <robert.beachler@itd.idaho.gov>; ITD - Stacy Simkins <stacy.simkins@itd.idaho.gov>; Jack Schenck <Jack.schenck@vyvebb.com>; Janice Best <janicesb@televar.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Jason Kimberling <jason.kimberling@itd.idaho.gov>; Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Jessie Roe <BWSD637@gmail.com>; joekren@sd83.org; Jordan Brooks <coolinsewer@gmail.com>; KayLeigh Miller <klmiller@ponderay.org>; kbsd sewer <kbsdpl@hotmail.com>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kim Hoodenpyle <kjh5345@gmail.com>; Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>; Laclede Water District <info@lacedewaterdistrict.org>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; Matt Diel <matt.diel@lposd.org>; Midas Water <midaswatercorp@gmail.com>; Mike Ahmer <mahmer@idl.idaho.gov>; Mike Schacht <firedept@clarkforkidaho.org>; Natural Resource Conservation Service - Greg Becker <greg.becker@id.usda.gov>; Navy - Glynis Casey <glynis.casey@navy.mil>; North of the Narrows Fire District <Huckbay2501@gmail.com>; Northern Lights <kristin.mettke@nli.coop>; Northern Lights - Clint Brewing <clint.brewington@nli.coop>; Northside Water and Syringa Heights Water Association <allwater49@outlook.com>; Oden Water Association - Carla Poelstra <odenwater@gmail.com>; Pend Oreille Hospital District <kim.kichenmaster@bonnergeneral.org>; PHD <EHApplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Richard Hash <Rich.hash2022@gmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ryan Zandhuisen <rzandhuisen@idl.idaho.gov>; Sagle Valley Water and Sewer District <saglewatersewer@gmail.com>; Sagle Valley Water & Sewer District <markc@smartplugs.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; Sam Ross <sam.ross@nli.coop>; sandpointairport@gmail.com; Sarah Gilmore <sgilmore@sandpointidaho.gov>; School District 84 Transportation - James Koehler <james.koehler@lposd.org>; Selkirk Association of Realtors <danielle@selkirkaor.com>; Selkirk Recreation District <elgar@whoi.edu>; Sheryl Austin <granitereeder@gmail.com>; SOURDOUGH POINT OWNERS ASSOCIATION <sourdoughpoint@hotmail.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Spencer Newton <firedistrict@msn.com>; Steve Elgar <selgar@mac.com>; Superintendent School Dist 84 <kelly.fisher@lposd.org>; Symone.legg@itd.idaho.gov; TC Energy / TransCanada <US_crossings@tcenergy.com>; Teresa Decker <Huckleberryhoa@gmail.com>; Teresa Decker <huckbayutilities01@gmail.com>; Teresa Zamora <utilities@stoneridgeidaho.com>; Theresa Wheat <theresa@kootenai.org>; Tim Ventress <chventresswplvfd@hotmail.com>; Timberlake Fire District <Kwright@timberlakefire.com>; Tom Renzi <epfldchief@gmail.com>; US Fish & Wildlife Services <fw1idahoconsultationrequests@fws.gov>; West Bonner Library <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>

Cc: Kyle Snider <kyle.snider@bonnercountyid.gov>; Alexander Feyen <alexander.feyen@bonnercountyid.gov>

Subject: Bonner County Planning - VA0001-25 Agency Review - Variance - Administrative - Depth to Width Ratio

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

The above-named application has been submitted to the Bonner County Planning Department for processing.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections. Please see attached for details.

Thank you,

Janna Brown, Administrative Assistant III

Bonner County Planning Department

208-265-1458 ext - 1252



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] RE: Bonner County Planning - VA0001-25 Agency Review - Variance - Administrative - Depth to Width Ratio

1 message

Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>
To: Bonner County Planning <planning@bonnercountyid.gov>

Thu, Jan 30, 2025 at 7:35 AM

ITD permits has no comment.

Have a nice day!

**Kimberly Hobson***Project Coordinator**Innovation Steward***District 1****Work:** 208.772.8079**Email:** kimberly.hobson@itd.idaho.gov**Website:** itd.idaho.gov**Work schedule:** M-W-Th-F 6AM- 4:30 PM

From: Bonner County Planning <planning@bonnercountyid.gov>

Sent: Wednesday, January 29, 2025 11:16 AM

To: Alan Brinkmeier <alan.brinkmeier@bonnercountyid.gov>; Amber Burgess <clerk@ebsewerdistrict.com>; Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Avista Copr - Jay West <jay.west@avistacorp.com>; Avista Corp - Peggy George <peggy.george@avistacorp.com>; Becky Meyer <becky.meyer@lposd.org>; Bill Berg <billb@bbsewer.org>; Bonner County Assessors <assessorsgroup@bonnercountyid.gov>; BONNER COUNTY HISTORICAL SOCIETY AND MUSEUM <DIRECTOR@bonnercountyhistory.org>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quaylelanduseconsulting@gmail.com>; Chace Bell <chace.bell@idwr.idaho.gov>; Chief Debbie Carpenter <chief@spiritleakefire.com>; City of Clark Fork <city@clarkforkidaho.org>; City of Dover <cityclerk@cityofdoveridaho.org>; City of East Hope Franck <easthope.city@gmail.com>; City of Hope <hopecityclerk@gmail.com>; City of Oldtown <cityofoldtown@hotmail.com>; City of Priest River <layers@priestriver-id.gov>; City of Sandpoint Planning <cityplanning@sandpointidaho.gov>; cityclerk@spiritleakeid.gov; Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>; Connie Nelson <connien@inlandpower.com>; Coolin-Cavanaugh Bay Fire Protection District <coolinfirechief@gmail.com>; Craig Hill <craighill@hillsresort.com>; D1Permits <D1Permits@itd.idaho.gov>; Dan Brown <dbrown@idl.idaho.gov>; Dan McCracken <Dan.McCracken@deq.idaho.gov>; Dan Scholz <dan.scholz@nli.coop>; Dean Davis

<deandavis@sd83.org>; DEQ - Kristie McEnroe <kristie.mcenroe@deq.idaho.gov>; East Bonner Library <Amanda@ebonnerlibrary.org>; East Priest Lake Fire District <eastpriestlakefd@gmail.com>; Erik Sjoquist <esjoquist@idl.idaho.gov>; Federal Aviation Administration <Heather.pate@faa.gov>; Frankie Dunn <Frankiejduhn@hotmail.com>; Fritz Broschet <outletbaysewer@gmail.com>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>; ID State Historical Society - Dan Everhart <dan.everhart@ishs.idaho.gov>; Idaho Department of Environmental Quality <deqcomments@deq.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; Robert Beachler <Robert.Beachler@itd.idaho.gov>; Stacy Simkins <Stacy.Simkins@itd.idaho.gov>; Jack Schenck <Jack.schenck@vyvebb.com>; Janice Best <janicesb@televar.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Jason Kimberling <Jason.Kimberling@itd.idaho.gov>; Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Jessie Roe <BWSD637@gmail.com>; Joe Kren <joekren@sd83.org>; Jordan Brooks <coolinsewer@gmail.com>; KayLeigh Miller <klmiller@ponderay.org>; kbsd sewer <kbsdpl@hotmail.com>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kim Hoodenpyle <kjh5345@gmail.com>; Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>; Laclede Water District <info@lacedewaterdistrict.org>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; Matt Diel <matt.diel@lposd.org>; Midas Water <midaswatercorp@gmail.com>; Mike Ahmer <mahmer@idl.idaho.gov>; Mike Schacht <firedept@clarkforkidaho.org>; Natural Resource Conservation Service - Greg Becker <greg.becker@id.usda.gov>; Navy - Glynis Casey <glynis.casey@navy.mil>; North of the Narrows Fire District <Huckbay2501@gmail.com>; Northern Lights <kristin.mettke@nli.coop>; Northern Lights - Clint Brewing <clint.brewington@nli.coop>; Northside Water and Syringa Heights Water Association <allwater49@outlook.com>; Oden Water Association - Carla Poelstra <odenwater@gmail.com>; Pend Oreille Hospital District <kim.kichenmaster@bonnergeneral.org>; PHD <EHapplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Richard Hash <Rich.hash2022@gmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ryan Zandhuisen <rzandhuisen@idl.idaho.gov>; Sagle Valley Water and Sewer District <saglewatersewer@gmail.com>; Sagle Valley Water & Sewer District <markc@smartplugs.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; Sam Ross <sam.ross@nli.coop>; sandpointairport@gmail.com; Sarah Gilmore <sgilmore@sandpointidaho.gov>; School District 84 Transportation - James Koehler <james.koehler@lposd.org>; Selkirk Association of Realtors <danielle@selkirkraor.com>; Selkirk Recreation District <elgar@whoi.edu>; Sheryl Austin <granitereeder@gmail.com>; SOURDOUGH POINT OWNERS ASSOCIATION <sourdoughpoint@hotmail.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Spencer Newton <firedistrict@msn.com>; Steve Elgar <selgar@mac.com>; Superintendent School Dist 84 <kelly.fisher@lposd.org>; Symone Legg <Symone.Legg@itd.idaho.gov>; TC Energy / TransCanada <US_crossings@tcenergy.com>; Teresa Decker <Huckleberryhoa@gmail.com>; Teresa Decker <huckbayutilities01@gmail.com>; Teresa Zamora <utilities@stoneridgeidaho.com>; Theresa Wheat <theresa@kootenai.org>; Tim Ventress <chventresswplvfd@hotmail.com>; Timberlake Fire District <Kwright@timberlakefire.com>; Tom Renzi <epfldchief@gmail.com>; US Fish & Wildlife Services <fw1idahoconsultationrequests@fws.gov>; West Bonner Library <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>

Cc: Kyle Snider <kyle.snider@bonnercountyid.gov>; Alexander Feyen <alexander.feyen@bonnercountyid.gov>

Subject: Bonner County Planning - VA0001-25 Agency Review - Variance - Administrative - Depth to Width Ratio

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

The above-named application has been submitted to the Bonner County Planning Department for processing.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections. Please see attached for details.

Thank you,

Janna Brown, Administrative Assistant III

2/3/25, 9:05 AM

Bonner County Mail - [EXT SENDER] RE: Bonner County Planning - VA0001-25 Agency Review - Variance - Administrative - Depth t...

Bonner County Planning Department

208-265-1458 ext - 1252



Janna Brown <janna.brown@bonnercountyid.gov>

File VA0001-25 Variance Depth/Width

1 message

'Colleen Johnson' via Mail-Planning <planning@bonnercountyid.gov>
Reply-To: Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>
To: Bonner County Planning Department <planning@bonnercountyid.gov>

Thu, Feb 6, 2025 at 11:28 AM

Good Morning:

Attached is the District's response to the above named file.

NOTICE OF CHANGE IN HOURS: THE OFFICE WILL BE CLOSED ON FRIDAYS. WE WILL BE OPEN NORMAL HOURS MONDAY THRU THURSDAY.

Colleen Johnson

Business Office Manager

Kootenai-Ponderay Sewer District

208-263-0229 Fax – 208-265-5326 Mobile: 208-304-5820

511 Whiskey Jack Road Sandpoint, Idaho 83864

P.O. Box 562, Kootenai, ID 83840

“Dance with Life”



 **25_02_BC_VA0001_Variance.pdf**
91K



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] RE: Bonner County Planning - VA0001-25 Agency Review - Variance - Administrative - Depth to Width Ratio

1 message

Robert Beachler <Robert.Beachler@itd.idaho.gov>
 To: Bonner County Planning <planning@bonnercountyid.gov>

Wed, Jan 29, 2025 at 4:23 PM

No Comment from the Idaho Transportation Department.

Robert Beachler

District 1 Planning Program Manager

Idaho Transportation Department

600 W. Prairie Ave

Coeur d'Alene, ID 83815

robert.beachler@itd.idaho.gov

(208) 772-1216

Office Hours M-TH 6-4:30

From: Bonner County Planning <planning@bonnercountyid.gov>

Sent: Wednesday, January 29, 2025 11:16 AM

To: Alan Brinkmeier <alan.brinkmeier@bonnercountyid.gov>; Amber Burgess <clerk@ebsewerdistrict.com>; Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Avista Copr - Jay West <jay.west@avistacorp.com>; Avista Corp - Peggy George <peggy.george@avistacorp.com>; Becky Meyer <becky.meyer@lposd.org>; Bill Berg <billb@bbsewer.org>; Bonner County Assessors <assessorsgroup@bonnercountyid.gov>; BONNER COUNTY HISTORICAL SOCIETY AND MUSEUM <DIRECTOR@bonnercountyhistory.org>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quaylelanduseconsulting@gmail.com>; Chace Bell <chace.bell@idwr.idaho.gov>; Chief Debbie Carpenter <chief@spiritleakefire.com>; City of Clark Fork <city@clarkforkidaho.org>; City of Dover <cityclerk@cityofdoveridaho.org>; City of East Hope Franck <easthope.city@gmail.com>; City of Hope <hopecityclerk@gmail.com>; City of Oldtown <cityofoldtown@hotmail.com>; City of Priest River <layers@priestriver-id.gov>; City of Sandpoint Planning <cityplanning@sandpointidaho.gov>; cityclerk@spiritleakeid.gov; Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>; Connie Nelson <connien@inlandpower.com>; Coolin-Cavanaugh Bay Fire Protection District <coolinfirechief@gmail.com>; Craig Hill <craighill@hillsresort.com>; D1Permits <D1Permits@itd.idaho.gov>; Dan Brown <dbrown@idl.idaho.gov>; Dan McCracken <Dan.McCracken@deq.idaho.gov>; Dan Scholz <dan.scholz@nli.coop>; Dean Davis <deandavis@sd83.org>; DEQ - Kristie McEnroe <kristie.mcenroe@deq.idaho.gov>; East Bonner Library <Amanda@ebonnerlibrary.org>; East Priest Lake Fire District <eastpriestlakefd@gmail.com>; Erik Sjoquist <esjoquist@idl.idaho.gov>; Federal Aviation Administration <Heather.pate@faa.gov>; Frankie Dunn

<Frankiejduhn@hotmail.com>; Fritz Broschet <outletbaysewer@gmail.com>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>; ID State Historical Society - Dan Everhart <dan.everhart@ishs.idaho.gov>; Idaho Department of Environmental Quality <deqcomments@deq.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; Robert Beachler <Robert.Beachler@itd.idaho.gov>; Stacy Simkins <Stacy.Simkins@itd.idaho.gov>; Jack Schenck <Jack.schenck@vyvebb.com>; Janice Best <janicesb@televar.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Jason Kimberling <Jason.Kimberling@itd.idaho.gov>; Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Jessie Roe <BWSD637@gmail.com>; Joe Kren <joekren@sd83.org>; Jordan Brooks <coolinsewer@gmail.com>; Kayleigh Miller <klmiller@ponderay.org>; kbsd sewer <kbsdpl@hotmail.com>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kim Hoodenpyle <kjh5345@gmail.com>; Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>; Laclede Water District <info@lacedewaterdistrict.org>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; Matt Diel <matt.diel@lposd.org>; Midas Water <midaswatercorp@gmail.com>; Mike Ahmer <mahmer@idl.idaho.gov>; Mike Schacht <firedept@clarkforkidaho.org>; Natural Resource Conservation Service - Greg Becker <greg.becker@id.usda.gov>; Navy - Glynis Casey <glynis.casey@navy.mil>; North of the Narrows Fire District <Huckbay2501@gmail.com>; Northern Lights <kristin.mettke@nli.coop>; Northern Lights - Clint Brewing <clint.brewington@nli.coop>; Northside Water and Syringa Heights Water Association <allwater49@outlook.com>; Oden Water Association - Carla Poelstra <odenwater@gmail.com>; Pend Oreille Hospital District <kim.kichenmaster@bonnergeneral.org>; PHD <EApplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Richard Hash <Rich.hash2022@gmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ryan Zandhuisen <rzandhuisen@idl.idaho.gov>; Sagle Valley Water and Sewer District <saglewatersewer@gmail.com>; Sagle Valley Water & Sewer District <markc@smartplugs.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; Sam Ross <sam.ross@nli.coop>; sandpointairport@gmail.com; Sarah Gilmore <sgilmore@sandpointidaho.gov>; School District 84 Transportation - James Koehler <james.koehler@lposd.org>; Selkirk Association of Realtors <danielle@selkirkaor.com>; Selkirk Recreation District <elgar@whoi.edu>; Sheryl Austin <granitereeder@gmail.com>; SOURDOUGH POINT OWNERS ASSOCIATION <sourdoughpoint@hotmail.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Spencer Newton <firedistrict@msn.com>; Steve Elgar <selgar@mac.com>; Superintendent School Dist 84 <kelly.fisher@lposd.org>; Symone Legg <Symone.Legg@itd.idaho.gov>; TC Energy / TransCanada <US_crossings@tcenergy.com>; Teresa Decker <Huckleberryhoa@gmail.com>; Teresa Decker <huckbayutilities01@gmail.com>; Teresa Zamora <utilities@stoneridgeidaho.com>; Theresa Wheat <theresa@kootenai.org>; Tim Ventress <chventresswplvfd@hotmail.com>; Timberlake Fire District <Kwright@timberlakefire.com>; Tom Renzi <epbfdchief@gmail.com>; US Fish & Wildlife Services <fw1idahoconsultationrequests@fws.gov>; West Bonner Library <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>

Cc: Kyle Snider <kyle.snider@bonnercountyid.gov>; Alexander Feyen <alexander.feyen@bonnercountyid.gov>

Subject: Bonner County Planning - VA0001-25 Agency Review - Variance - Administrative - Depth to Width Ratio

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

The above-named application has been submitted to the Bonner County Planning Department for processing.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections. Please see attached for details.

Thank you,

Janna Brown, Administrative Assistant III

Bonner County Planning Department

208-265-1458 ext - 1252

NOTICE OF AGENCY REVIEW



I hereby certify that a true and correct copy of this "Notice of Agency Review" was digitally transmitted or mailed (postage prepaid) on this **29th** day of **January 2025**.

Janna Brown

Janna Brown, Administrative Assistant III

This notice was mailed to political subdivisions, property owners within 300 feet of the subject property, and the media on **Wednesday, January 29, 2025**.

File VA0001-25 - Variance - Administrative - Depth to Width Ratio

The above-named application has been submitted to the Bonner County Planning Department for processing and has been determined to be complete. The applicant is requesting a depth to width ratio of 3.88:1 where 3.2:1 is required on two lots. The parcel is zoned Rural 5 (R-5). The project site is located off Upper Pack River Road, and Bearwood Lane in Section 24, Township 59 North, Range 2 West, Boise-Meridian.

To review this application, go to the Planning Department web site at bonnercountyid.gov/current-projects. If you experience difficulties visiting the project web page, try an alternative browser (Mozilla Firefox or Google Chrome) for access. If you prefer to receive hard copies of the application or have any difficulties reaching this web site, please contact the planning department as soon as possible.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections by **March 3, 2025**. If your agency requires any additional information from the applicant, please advise the planning department in writing allowing ample time for applicant response. All comments will be forwarded to the applicant and representatives. If no response is provided, staff will conclude your agency has no objections to the project or recommended conditions.

If you have no comment or response, you may indicate below and return this form to the Planning Department.

NO COMMENT

Name

Kootenai-Ponderosa-Silver District

Date

2/2/25

Out of District Boundaries

 <i>The power of local service</i> SINCE 1935    	ADDRESSES  HEADQUARTERS 421 Chevy St Sagle, ID 83860  MAILING ADDRESS PO Box 269 Sagle, ID 83860	PHONE NUMBERS  MAIN OFFICE (208) 263-5141  TOLL-FREE (800) 326-9594	REPORT AN OUTAGE  OUTAGE HOTLINE (866) 665-4837 CALL BEFORE YOU DIG  Know what's below. Call before you dig.
--	--	---	--

From: Bonner County Planning <planning@bonnercountyid.gov>

Sent: Wednesday, January 29, 2025 11:16 AM

To: Alan Brinkmeier <alan.brinkmeier@bonnercountyid.gov>; Amber Burgess <clerk@ebsewerdistrict.com>; Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Av Peggy George <peggy.george@avistacorp.com>; Becky Meyer <becky.meyer@lposd.org>; Bill Berg <billb@bbsewer.org>; Bonner County Assessors <assessorsgroup@bonnercountyid.gov>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quaylelanduseconsulting@gmail.com>; Chace Bell <chacebell@spiritlakefire.com>; City of Clark Fork <city@clarkforkidaho.gov>; City of Dover <cityclerk@cityofdoveridaho.org>; City of East Hope Franck <easthope.city@gmail.com>; City of Foldtown <cityofoldtown@hotmail.com>; City of Priest River <layers@priestriver-id.gov>; City of Sandpoint Planning <cityplanning@sandpointidaho.gov>; City Clerk <cityclerk@spiritlakeid.gov>; City of Kootenai Ponderay Sewer District <kootenaiponderaysewerdistrict.org>; Connie Nelson <connien@inlandpower.com>; Coolin-Cavanaugh Bay Fire Protection District <coolinfirechief@gmail.com>; Craig Hill <craighill@danbrown.org>; Dan Brown <dbrown@idl.idaho.gov>; Dan McCracken <Dan.McCracken@deq.idaho.gov>; Dan Scholz <Dan.Scholz@nli.coop>; Dean Davis <deandavis@sd83.org>; DEQ - Kristi <Amanda@ebonnerlibrary.org>; East Priest Lake Fire District <eastpriestlakefd@gmail.com>; Erik Sjoquist <esjoquist@idl.idaho.gov>; Federal Aviation Administration <Heather.Broschet@outletbaysewer@gmail.com>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Horseshoe Society - Dan Everhart <dan.everhart@ishs.idaho.gov>; Idaho Department of Environmental Quality <deqcomments@deq.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdcl@robert.beachler@itd.idaho.gov>; ITD - Stacy Simkins <stacy.simkins@itd.idaho.gov>; Jack Schenck <Jack.schenck@vyvebb.com>; Janice Best <janicesb@televar.com>; Jason <jason.kimberling@itd.idaho.gov>; Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Jessie Roe <BWSD637@gmail.com>; Joe Kren <joekren@sd83.org>; Jordan Brooks <coolir@kbsd.sewer@kbsdpl@hotmail.com>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kim Hoodenpyle <kjh5345@gmail.com>; Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; Matt Diel <matt.diel@lposd.org>; Midas Water <midaswatercorp@gmail.com>; Fire Dept <firedept@clarkforkidaho.org>; Natural Resource Conservation Service - Greg Becker <greg.becker@id.usda.gov>; Navy - Glynis Casey <glynis.casey@navy.mil>; North of the Nar <kristin.burge@nli.coop>; Clint Brewington <Clint.Brewington@nli.coop>; Northside Water and Syringa Heights Water Association <allwater49@outlook.com>; Oden Water Association <kim.kichenmaster@bonnergeneral.org>; PHD <EHApplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Richard Hash <matt.mulder@bonnercountyid.gov>; Ryan Zandhuisen <rzandhuisen@idl.idaho.gov>; Sagle Valley Water and Sewer District <saglewatersewer@gmail.com>; Sagle Valley Water Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; Sam Ross <sam.ross@nli.coop>; Sandpoint Airport <sandpointairport@gmail.com>; Sarah Gilmore <sgilmore@koehler.com>; Selkirk Association of Realtors <danielle@selkirkaor.com>; Selkirk Recreation District <elgar@whoiedu.org>; Sheryl Austin <granitereeder@grr@sourdoughpoint@hotmail.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Spencer Newton <firedistrict@msn.com>; Steve Elgar <selgar@maSymone.legg@itd.idaho.gov>; Symone.legg <Symone.legg@itd.idaho.gov>; TC Energy / TransCanada <US_crossings@tcenergy.com>; Teresa Decker <Huckleberryhoa@gmail.com>; Teresa <utilities@stoneridgeidaho.com>; Theresa Wheat <theresa@kootenai.org>; Tim Ventress <chventresswplvfd@hotmail.com>; Timberlake Fire District <Kwright@timberlakefire.org>; Fire Services <fw1idahoconsultationrequests@fws.gov>; West Bonner Library <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>

Cc: Kyle Snider <kyle.snider@bonnercountyid.gov>; Alexander Feyen <alexander.feyen@bonnercountyid.gov>

Subject: Bonner County Planning - VA0001-25 Agency Review - Variance - Administrative - Depth to Width Ratio

The above-named application has been submitted to the Bonner County Planning Department for processing.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections. Please see attached for details.

Thank you,
Janna Brown, Administrative Assistant III
Bonner County Planning Department
208-265-1458 ext - 1252

[CAUTION: This email originated from outside of Northern Lights Inc. Do not click links or open attachments unless you recognize the sender and know the content is safe]



Janna Brown <janna.brown@bonnercountyid.gov>

[EXT SENDER] VA0001-25

1 message

Audrey Landingham <alandingham@phd1.idaho.gov>
To: Bonner County Planning <planning@bonnercountyid.gov>

Fri, Jan 31, 2025 at 1:37 PM

	Audrey Landingham Technical Records Specialist 1 2101 W Pine St Sandpoint ID 83864 P: 208-265-6384 W: Panhandlehealthdistrict.org
---	---

IMPORTANT: The information contained in this email may be privileged, confidential or otherwise protected from disclosure. All persons are advised that they may face penalties under state and federal law for sharing this information with unauthorized individuals. If you received this email in error, please reply to the sender that you received this information in error. Also, please delete this email after replying to the sender.

 **79-09-60688 1.31.25 letter.pdf**
768K



Panhandle Health District

Healthy People in Healthy Communities

Public Health
Prevent. Promote. Protect.

Panhandle Health District

January 31, 2025

Bonner County Planning Department

1500 Highway 2, Suite 208

Sandpoint, ID 83864

RE: File VA0001-25 Administrative Variance

Bonner County Planning Department,

The Panhandle Health District is not opposed to the proposed Administrative Variance, but wanted to comment that if the applicant needs Sanitary Restrictions lifted and approved via a signature from the Panhandle Health District for a proposed new plat in the future, the applicant must submit a Land Development Application with our office.


Thank you,

Timothy S. French

REHS, Panhandle Health District

Sandpoint – Bonner County
2101 W. Pine St.
Sandpoint, ID 83864
208.263.5159

NOTICE OF AGENCY REVIEW



I hereby certify that a true and correct copy of this "Notice of Agency Review" was digitally transmitted or mailed (postage prepaid) on this **29th** day of **January 2025**.


Jenna Brown, Administrative Assistant III

This notice was mailed to political subdivisions, property owners within 300 feet of the subject property, and the media on **Wednesday, January 29, 2025**.

File VA0001-25 - Variance - Administrative - Depth to Width Ratio

The above-named application has been submitted to the Bonner County Planning Department for processing and has been determined to be complete. The applicant is requesting a depth to width ratio of 3.88:1 where 3.2:1 is required on two lots. The parcel is zoned Rural 5 (R-5). The project site is located off Upper Pack River Road, and Bearwood Lane in Section 24, Township 59 North, Range 2 West, Boise-Meridian.


To review this application, go to the Planning Department web site at bonnercountyid.gov/current-projects. If you experience difficulties visiting the project web page, try an alternative browser (Mozilla Firefox or Google Chrome) for access. If you prefer to receive hard copies of the application or have any difficulties reaching this web site, please contact the planning department as soon as possible.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections by **March 3, 2025**. If your agency requires any additional information from the applicant, please advise the planning department in writing allowing ample time for applicant response. All comments will be forwarded to the applicant and representatives. If no response is provided, staff will conclude your agency has no objections to the project or recommended conditions.

If you have no comment or response, you may indicate below and return this form to the Planning Department.

NO COMMENT _____
Name

Date



BONNER COUNTY PLANNING DEPARTMENT

1500 HIGHWAY 2, SUITE 208, SANDPOINT, ID 83864 (208) 265-1458 (208) 265-1463 (FAX)
planning@bonnercountyid.gov (email) www.bonnercountyid.gov (web page)

VARIANCE APPLICATION

FOR OFFICE USE ONLY:

FILE #

RECEIVED:

- ☒ Administrative Variance
☐ Public Hearing Required

PROJECT DESCRIPTION:

The applicant is requesting a variance from a:

- ☐ Front yard setback ☐ Rear yard setback
☐ Side yard setback ☐ Water front setback

The applicant is requesting a _____ foot setback to allow for the construction of:
 (Specify the type of structure and use) _____

- ☒ Other (Please specify) Depth to Width

APPLICANT INFORMATION:

Landowner's name: Dee Crocker/Crocker Trust

Mailing address: _____

City: Sandpoint

State: Idaho

Zip code: 83864

Telephone: _____

Fax: _____

E-mail: _____

REPRESENTATIVE'S INFORMATION:

Representative's name: Tyson Glahe, PLS

Company name: Glahe & Associates, Inc

Mailing address: 303 Church Street

City: Sandpoint

State: Idaho

Zip code: 83864

Telephone: (208)265-4474

Fax: _____

E-mail: manager@glaheinc.com

ADDITIONAL APPLICANT/REPRESENTATIVE INFORMATION:

Name/Relationship to project:

Company Name:

Mailing Address:

City:

State:

Zip Code:

Telephone:

Fax:

E-mail:

PARCEL INFORMATION:

Section #: 24	Township: 59N	Range: 2W	Parcel acreage: 14.69
Parcel # (s): RP59N02W242900A			
Legal description: 24-59N-2W TAX 1			
Current landowner's name: Crocker Trust			
Current zoning: Rural 5		Current use: Residential	
What zoning districts border the project site?			
North: Rural 10		East: Rural 10	
South: Rural 5		West: Rural 10	
Comprehensive plan designation:			
Uses of the surrounding land (describe lot sizes, structures, uses):			
North: 7.05 acres ag/timber with residence and 5.04 acres ag/timber with residence.			
South: 20 acres with one residence and another structure in progress.			
East: 23.5 acre parcel NE across Upper Pack River Rd. Appears to have two residences on the parcel.			
West: 28.69, 12, (both forest land) and 28 acre (ag/timber) with residence.			
Within Area of City Impact?: ☐ Yes ☒ No If yes, which city?:			
Detailed directions to site: <u>From Sandpoint: North on Hwy 95 for 9.1 miles. Turn left (East) onto Upper Pack River Rd. Continue for 3.4 miles to Bearwood Ln.</u>			

NARRATIVE STATEMENT:

Describe whether conditions apply to the property that do not apply generally to other properties in the same zone or vicinity, which conditions are a result of lot size, shape, topography, or other circumstances over which the applicant has no control. BCRC 12-234(a) *Explain why it is not possible to comply with the ordinance standards. Example: A site may have excessive slopes that prevent a structure from meeting the required setbacks.* _____

The parcel is triangle shaped and bounded by two roads. The current formula used to calculate allowed depth to width puts two if the proposed parcels just outside of the allowable size.

Explain how special conditions and circumstances do not result from the actions of the applicant. BCRC 12-234(b) *Example: Did the applicant reduce the size of his/her parcel, thereby creating an "unbuildable" parcel?* _____

This parcel has existed in it's current shape for several years.

Explain how granting the variance is not in conflict with the public interest in that it will not be detrimental to the public health, safety, or welfare, or materially injurious to properties or improvements in the vicinity of the subject parcel or lot. BCRC 12-234(c) *Explain how the proposed use is compatible with adjoining land uses. Example: Will approval of the variance result in a potential obstruction of public access or cause a safety hazard? Are there effects of elements on adjoining property such as noise, light glare, odor, fumes and vibration?*

Granting this variance will not impede any access or in any way be detrimental to the adjacent land

ACCESS INFORMATION:

Please check appropriate boxes:

- ☒ Private Easement ☒ Existing ☐ Proposed
Describe travel surface (e.g., gravel, dirt, paved, etc.), travel way width, road grade and easement width. Include recorded instrument number for existing easements & name, if existing: Bearwood Lane-60'
- ☒ Public Road ☒ Existing ☐ Proposed
Describe travel surface (e.g., gravel, dirt, paved, etc.), travel way width, road grade right-of-way width and name, if existing: Upper Pack river Road-50'
- ☒ Combination of Public Road/Private Easement ☒ Existing ☐ Proposed
Describe travel surface (e.g., gravel, dirt, paved, etc.), travel way width, road grade and right-of-way/easement width and road name, if existing: Upper Pack River Road-50' wide, paved gravel/ dirt. Bearwood Lane-60' wide, gravel/dirt private easement.

SITE INFORMATION:

Please provide a detailed description of the following land features:

Topography (lay of the land), including estimated maximum slope, rock outcroppings, benches, etc: Majority of property is 2160', with a sliver running East to North (on NE border) at 2200'. Parcel slopes gently to the West and Southwest. Maximum slope is estimated to be under 15%.

Water courses (lakes, streams, rivers & other bodies of water): None apparent

Is site within a floodplain? ☐ Yes ☒ No

Firm Panel #: _____

Map designation: _____

Springs & wells: Typical underground well.

Existing structures (size & use): 1431 sq ft home. 650 sq ft detached garage. 800 sq ft pole building.

Land cover (timber, pastures, etc): Approx half of the property is thinly treed and looks to be pasture. The other half is a thicker stand of timber.

Are wetlands present on site? ☐ Yes ☒ No

Source of information: Bonner County GIS

Other pertinent information (attach additional pages if needed): _____

SERVICES:

Sewage disposal will be provided by:

☐ Existing Community System - List name of sewer district or provider and type of system:

☐ Proposed Community System - List type & proposed ownership:

☒ Individual system - List type:

Explain the type of sewage system, capacity, maintenance plan, location of facilities, if applicable and other details: Typical underground septic system with leach field.

Water will be supplied by:	
☐	<u>Existing public or community system</u> - List name of provider: _____
☐	<u>Proposed Community System</u> – List type & proposed ownership: _____ _____
☒	<u>Individual well:</u> _____ _____
Please explain the water source, capacity, system maintenance plan, storage and delivery system and other details: <u>Typical underground well.</u> _____ _____ _____	
Distance (in miles) to the nearest:	
Public/Community Sewer System:	Solid Waste Collection Facility: 6.7 miles
Public/Community Water System:	Fire Station:
Elementary School: 7.9 miles	Secondary Schools: 16.2 miles
County Road: parcel is adjacent	County Road Name: Bearwood Ln
Which fire district will serve the project site? _____	
Which power company will serve the project site? _____	

How is the use/plan in accordance with the general and specific objectives of the Comprehensive Plan? (Copy of goals and objectives attached)	
Property Rights: <u>No taking of land will result from this variance.</u> _____ _____	
Population: <u>This request is consistent with existing growth</u> _____ _____	
School facilities & Transportation: <u>All proposed lots are adjacent to a public road.</u> _____ _____	
Economic Development: <u>Resulting lots will still be over 5 acres</u> _____ _____	
Land Use: <u>Proposed lot configuration is the best fit for the property, fronting on public roads.</u> _____ _____	
Natural Resources: <u>This variance will not affect any natural resources.</u> _____ _____	
Hazardous Areas: <u>n/a</u> _____ _____	
Public Services: <u>The proposed layout will utilize private services only.</u> _____ _____	
Transportation: <u>All proposed lots are adjacent to public roads.</u> _____	

Recreation: <u>There are no recreational sites to consider.</u>
Special Areas or Sites: <u>There are no special areas to consider.</u>
Housing: <u>Allowing this variance is ideal for needed large parcel opportunities.</u>
Community Design: <u>Lots are designed for best fit and will be accessed by public roads.</u>
Implementation: (Not required to complete this element)

I hereby certify that all the information, statements, attachments and exhibits submitted herewith are true to the best of my knowledge. I further grant permission to Bonner County employees and representatives, elected or appointed officials to enter upon the subject land to make examinations, post the property or review the premises relative to the processing of this application.

Landowner's signature: _____	DocuSigned by:  50E30B246B7A4E0	Date: _____
Landowner's signature: _____		Date: <u>1/2/2025</u>

1

DEPTH TO WIDTH CALCULATOR	SQ. FT.	218236	← Enter sq. ft. of lot	Can not be greater than 3.2:1 for lot width less than 300' or 4.2:1 for lot width more than 300' Administrative Exception will allow for a 5% increase to 3.36:1 (or 4.41:1) Administrative Variance will allow for a 50% increase to 4.16:1 (or 5.46:1)
	DEPTH	93.43	← Enter distance between two furthest corners	
	WIDTH	231.31	← Width is sq. ft. ÷ depth. It is calculated for you	
	RATIO	3.73 :1		


UPDATED Nov. 2024
FORMULAS LOCKED

DEPTH TO WIDTH CALCULATOR	SQ. FT.	218236	← Enter sq. ft. of lot	Can not be greater than 3.2:1 for lot width less than 300' or 4.2:1 for lot width more than 300' Administrative Exception will allow for a 5% increase to 3.36:1 (or 4.41:1) Administrative Variance will allow for a 50% increase to 4.16:1 (or 5.46:1)
	DEPTH	791.57	← Enter distance between two furthest corners	
	WIDTH	275.26	← Width is sq. ft. ÷ depth. It is calculated for you	
	RATIO	2.87 :1		

UPDATED Nov. 2024
FORMULAS LOCKED

DEPTH TO WIDTH CALCULATOR	SQ. FT.	259338	← Enter sq. ft. of lot	Can not be greater than 3.2:1 for lot width less than 300' or 4.2:1 for lot width more than 300' Administrative Exception will allow for a 5% increase to 3.36:1 (or 4.41:1) Administrative Variance will allow for a 50% increase to 4.16:1 (or 5.46:1)
	DEPTH	1003.37	← Enter distance between two furthest corners	
	WIDTH	258.82	← Width is sq. ft. ÷ depth. It is calculated for you	
	RATIO	3.98 :1		

UPDATED Nov. 2024
FORMULAS LOCKED





Janna Brown <janna.brown@bonnercountyid.gov>

RE: [EXTERNAL] Bonner County Planning - VA0001-25 Agency Review - Variance - Administrative - Depth to Width Ratio

1 message

'US Crossings' via Mail-Planning <planning@bonnercountyid.gov>
Reply-To: US Crossings <us_crossings@tcenergy.com>
To: Bonner County Planning <planning@bonnercountyid.gov>

Fri, Feb 28, 2025 at 10:43 AM

Good Afternoon,

Per the engineer, we are not impacted.

Thanks,

Nancy P. Babcock

Land Analyst, USNG Land Services

us_crossings@tcenergy.com

Desk: 800.562.8931



700 Louisiana St., Suite 14108F

Houston, TX 77002

[TCEnergy.com](https://www.tceenergy.com)

From: Bonner County Planning <planning@bonnercountyid.gov>

Sent: Wednesday, January 29, 2025 1:16 PM

To: Alan Brinkmeier <alan.brinkmeier@bonnercountyid.gov>; Amber Burgess <clerk@ebsewerdistrict.com>; Army Corps of Engineers <CENWW-RD-CDA@usace.army.mil>; Avista Copr - Jay West <jay.west@avistacorp.com>; Avista Corp - Peggy George <peggy.george@avistacorp.com>; Becky Meyer <becky.meyer@lposd.org>; Bill Berg <billb@bbsewer.org>; Bonner County Assessors <assessorsgroup@bonnercountyid.gov>; BONNER COUNTY HISTORICAL SOCIETY AND MUSEUM

<DIRECTOR@bonnercountyhistory.org>; Brenna Garro <Brenna.Garro@oer.idaho.gov>; Bryan Quayle <quaylelanduseconsulting@gmail.com>; Chace Bell <chace.bell@idwr.idaho.gov>; Chief Debbie Carpenter <chief@spirittlakefire.com>; City of Clark Fork <city@clarkforkidaho.org>; City of Dover <cityclerk@cityofdoveridaho.org>; City of East Hope Franck <easthope.city@gmail.com>; City of Hope <hopecityclerk@gmail.com>; City of Oldtown <cityofoldtown@hotmail.com>; City of Priest River <layers@priestriver-id.gov>; City of Sandpoint Planning <cityplanning@sandpointidaho.gov>; cityclerk@spirittlakeid.gov; Colleen Johnson <CJohnson@kootenaiponderaysewerdistrict.org>; Connie Nelson <connien@inlandpower.com>; Coolin-Cavanaugh Bay Fire Protection District <coolinfirechief@gmail.com>; Craig Hill <craighill@hillsresort.com>; D1Permits <D1Permits@itd.idaho.gov>; Dan Brown <dbrown@idl.idaho.gov>; Dan McCracken <Dan.McCracken@deq.idaho.gov>; Dan Scholz <dan.scholz@nli.coop>; Dean Davis <deandavis@sd83.org>; DEQ - Kristie McEnroe <kristie.mcenroe@deq.idaho.gov>; East Bonner Library <Amanda@ebonnerlibrary.org>; East Priest Lake Fire District <eastpriestlakefd@gmail.com>; Erik Sjoquist <esjoquist@idl.idaho.gov>; Federal Aviation Administration <Heather.pate@faa.gov>; Frankie Dunn <Frankiejduhn@hotmail.com>; Fritz Broschet <outletbaysewer@gmail.com>; Garfield Bay Water and Sewer District Clerk <garfieldbaywsd@hotmail.com>; Gavin Gilcrease <ggilcrease@sandpointidaho.gov>; Horsmon, Merritt <merritt.horsmon@idfg.idaho.gov>; ID State Historical Society - Dan Everhart <dan.everhart@ishs.idaho.gov>; Idaho Department of Environmental Quality <deqcomments@deq.idaho.gov>; Independent Hwy Dist - Julie Bishop <ihdclerk@gmail.com>; ITD - Robert Beachler <robert.beachler@itd.idaho.gov>; ITD - Stacy Simkins <stacy.simkins@itd.idaho.gov>; Jack Schenck <Jack.schenck@vyvebb.com>; Janice Best <janicesb@televar.com>; Jason Johnson <jason.johnson@bonnercountyid.gov>; Jason Kimberling <jason.kimberling@itd.idaho.gov>; Jeff Lindsey <jeff.lindsey@bonnercountyid.gov>; Jessie Roe <BWSD637@gmail.com>; Joe Kren <joekren@sd83.org>; Jordan Brooks <coolinsewer@gmail.com>; Kayleigh Miller <klmiller@ponderay.org>; kbsd sewer <kbsdpl@hotmail.com>; Kenny Huston <kenny.huston@oer.idaho.gov>; Kim Hoodenpyle <kjh5345@gmail.com>; Kimberly Hobson <Kimberly.Hobson@itd.idaho.gov>; Laclede Water District <info@lacedewaterdistrict.org>; Lakeland Joint School District #272 <cpursley@lakeland272.org>; Lisa Rosa <hr@ebonnerlibrary.org>; Matt Diel <matt.diel@lposd.org>; Midas Water <midaswatercorp@gmail.com>; Mike Ahmer <mahmer@idl.idaho.gov>; Mike Schacht <firedept@clarkforkidaho.org>; Natural Resource Conservation Service - Greg Becker <greg.becker@id.usda.gov>; Navy - Glynis Casey <glynis.casey@navy.mil>; North of the Narrows Fire District <Huckbay2501@gmail.com>; Northern Lights <kristin.mettke@nli.coop>; Northern Lights - Clint Brewing <clint.brewington@nli.coop>; Northside Water and Syringa Heights Water Association <allwater49@outlook.com>; Oden Water Association - Carla Poelstra <odenwater@gmail.com>; Pend Oreille Hospital District <kim.kichenmaster@bonnergeneral.org>; PHD <EHApplications@phd1.idaho.gov>; Priest Lake Public Library District <plplibrary@hotmail.com>; Richard Hash <Rich.hash2022@gmail.com>; Road & Bridge - Matt Mulder <matt.mulder@bonnercountyid.gov>; Ryan Zandhuisen <rzandhuisen@idl.idaho.gov>; Sagle Valley Water and Sewer District <saglewatersewer@gmail.com>; Sagle Valley Water & Sewer District <markc@smartplugs.com>; Sam Owen Fire Rescue Sam Owen Fire Rescue <sofd@wow-tel.net>; Sam Ross <sam.ross@nli.coop>; sandpointairport@gmail.com; Sarah Gilmore <sgilmore@sandpointidaho.gov>; School District 84 Transportation - James Koehler <james.koehler@lposd.org>; Selkirk Association of Realtors <danielle@selkirkaor.com>; Selkirk Recreation District <elgar@whoi.edu>; Sheryl Austin <granitereeder@gmail.com>; SOURDOUGH POINT OWNERS ASSOCIATION <sourdoughpoint@hotmail.com>; Southside Water and Sewer <southsidewaterandsewer@swsdidaho.org>; Spencer Newton <firedistrict@msn.com>; Steve Elgar <selgar@mac.com>; Superintendent School Dist 84 <kelly.fisher@lposd.org>; Symone.legg@itd.idaho.gov; US Crossings <us_crossings@tcenergy.com>; Teresa Decker <Huckleberryhoa@gmail.com>; Teresa Decker <huckbayutilities01@gmail.com>; Teresa Zamora <utilities@stoneridgeidaho.com>; Theresa Wheat <theresa@kootenai.org>; Tim Ventress <chventresswplvfd@hotmail.com>; Timberlake Fire District <Kwright@timberlakefire.com>; Tom Renzi <epfldchief@gmail.com>; US Fish & Wildlife Services <fw1idahoconsultationrequests@fws.gov>; West Bonner Library <meagan@westbonnerlibrary.org>; West Pend Oreille Fire District <wpofd1@gmail.com>

Cc: Kyle Snider <kyle.snider@bonnercountyid.gov>; Alexander Feyen <alexander.feyen@bonnercountyid.gov>

Subject: [EXTERNAL] Bonner County Planning - VA0001-25 Agency Review - Variance - Administrative - Depth to Width Ratio

EXTERNAL EMAIL: PROCEED WITH CAUTION.

This e-mail has originated from outside of the organization. Do not respond, click on links or open attachments unless you recognize the sender or know the content is safe. If this email looks suspicious, report it.

The above-named application has been submitted to the Bonner County Planning Department for processing.

Please review the application relative to your agency's area of expertise and include any recommended conditions of approval and supporting code sections. Please see attached for details.

Thank you,

Janna Brown, Administrative Assistant III

Bonner County Planning Department

208-265-1458 ext - 1252

We respect your right to choose which electronic messages you receive. **To stop receiving this and similar communications from TC Energy please reply to this email and change the subject line to "UNSUBSCRIBE".**

This electronic message and any attached documents are intended only for the named addressee(s). This communication from TC Energy may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message. Thank you.

Nous respectons votre droit de choisir les messages électroniques que vous recevez. **Pour ne plus recevoir ce message et des communications similaires de TC Énergie veuillez répondre à ce courriel avec l'objet "DÉSABONNEMENT".** Ce message électronique et tous les documents joints sont destinés uniquement aux destinataires nommés. Cette communication de TC Énergie pourrait contenir de l'information privilégiée, confidentielle ou autrement protégée de la divulgation, et elle ne doit pas être divulguée, copiée, transférée ou distribuée sans autorisation. Si vous avez reçu ce message par erreur, veuillez en aviser immédiatement l'expéditeur et supprimer le message initial. Merci.

Respetamos el derecho de elegir los mensajes electrónicos que desea recibir. **Para dejar de recibir estos comunicados y otros similares de TC Energía responda este correo y cambie el asunto a "CANCELAR SUSCRIPCIÓN".** Este mensaje electrónico y los documentos adjuntos están dirigidos solo a los destinatarios indicados. Este comunicado puede contener información de TC Energía privilegiada, confidencial, o bien protegida contra su divulgación, por lo que no se debe divulgar, copiar, reenviar ni distribuir sin autorización. Si recibió este mensaje por error, notifique de inmediato al remitente y borre el mensaje original. Gracias.

2 attachments

 **202502240056 - 59N 2W ID.kmz**
1K

 **202502240056 - 59N 2W ID.pdf**
148K

TC Energy pipelines
not impacted

Closest distance is
~14,000ft.

